

DAFTAR PUSTAKA

- [1] V. Paradiso, F. Rubino, P. Carlone, and G. S. Palazzo, “Magnesium and Aluminium alloys Dissimilar Joining by Friction Stir Welding,” in *Procedia Engineering*, Elsevier Ltd, 2017, pp. 239–244. doi: 10.1016/j.proeng.2017.04.028.
- [2] E. Mercan, Y. Ayan, and N. Kahraman, “Investigation on joint properties of AA5754 and AA6013 dissimilar aluminum alloys welded using automatic GMAW,” *Engineering Science and Technology, an International Journal*, vol. 23, no. 4, pp. 723–731, Aug. 2020, doi: 10.1016/j.jestch.2019.11.004.
- [3] A. Mayyas, Q. Shen, A. Mayyas, M. Abdelhamid, D. Shan, A. Qattawi, M. Omar, “Using Quality Function Deployment and Analytical Hierarchy Process for material selection of Body-In-White,” *Mater Des*, vol. 32, no. 5, pp. 2771–2782, 2011, doi: 10.1016/j.matdes.2011.01.001.
- [4] V. Ferreira, P. Egizabal, V. Popov, M. García de Cortázar, A. Irazustabarrena, A. López-Sabirón, and G. Ferreira, “Lightweight automotive components based on nanodiamond-reinforced aluminium alloy: A technical and environmental evaluation,” *Diam Relat Mater*, vol. 92, no. December 2018, pp. 174–186, 2019, doi: 10.1016/j.diamond.2018.12.015.
- [5] M. Tisza and I. Czinege, “Comparative study of the application of steels and aluminium in lightweight production of automotive parts,” *International Journal of Lightweight Materials and Manufacture*, vol. 1, no. 4, pp. 229–238, 2018, doi: 10.1016/j.ijlmm.2018.09.001.
- [6] V. K. Soo, P. Compston, and M. Doolan, “The Impact of Joining Choices on Vehicle Recycling Systems,” *Procedia CIRP*, vol. 69, no. May, pp. 843–848, 2018, doi: 10.1016/j.procir.2017.11.009.

- [7] K. R. Madavi, B. F. Jogi, and G. S. Lohar, "Metal inert gas (MIG) welding process: A study of effect of welding parameters," *Mater Today Proc*, vol. 51, pp. 690–698, 2021, doi: 10.1016/j.matpr.2021.06.206.
- [8] N. A. Prahastho, "Pengaruh Ampere dan Diameter Elektroda Kawat ER70S-G KC26 pada Gas Metal Arc Welding (GMAW) terhadap Sifat Mekanik dan Struktur Mikro Sambungan Las JIS G3101 SS400 sebagai Aplikasi Arm Excavator di PT. X," 2019.
- [9] E. Budiyanto, "Pengaruh Diameter Filler dan Arus pada Pengelasan TIG terhadap Kekuatan Tarik dan Struktur Mikro pada Baja Karbon Rendah," *Teknik Mesin Univ. Muhammadiyah Metro*, vol. 6, no. 1, 2017, [Online]. Available: <http://ojs.ummetro.ac.id/index.php/turbo>
- [10] A. Choliq, N. Rohmat, and S. Simbolon, *Metalurgi Fisik*, Pertama. UNPAM PRESS, 2021. [Online]. Available: www.unpam.ac.id
- [11] G. Gou, M. Zhang, H. Chen, J. Chen, P. Li, and Y. P. Yang, "Effect of humidity on porosity, microstructure, and fatigue strength of A7N01S-T5 aluminum alloy welded joints in high-speed trains," *Mater Des*, vol. 85, no. November, pp. 309–317, 2015, doi: 10.1016/j.matdes.2015.06.177.
- [12] Aljufri and R. Putra, "Pengaruh Porositaslas terhadap Kekuatan Tarik pada Material AISI 1050 yang Menggunakan Kampuh Las V 90," *Seminar Nasional Sains dan Teknologi*, 2018, Accessed: Oct. 25, 2022. [Online]. Available: jurnal.umj.ac.id/index.php/semnastek
- [13] A. Bansal, M. S. Kumar, I. Shekhar, S. Chauhan, and S. Bhardwaj, "Materials Today: Proceedings Effect of welding parameter on mechanical properties of TIG welded," *Mater Today Proc*, vol. 37, pp. 2126–2131, 2021, doi: 10.1016/j.matpr.2020.07.567.

- [14] F. Golbabaei and M. Khadem, "Air Pollution in Welding Processes — Assessment and Control Methods," in *Current Air Quality Issues*, InTech, 2015. doi: 10.5772/59793.
- [15] J. M. Kuk, K. C. Jang, D. G. Lee, and I. S. Kim, "Effects of temperature and shielding gas mixture on fatigue life of 5083 aluminum alloy," *J Mater Process Technol*, vol. 155–156, no. 1–3, pp. 1408–1414, Nov. 2004, doi: 10.1016/j.jmatprotec.2004.04.117.
- [16] H. Pei, C. Liu, L. Chen, Y. Chen, and Y. Xu, "Reduction of shielding gas dosage in GMAW process," in *IOP Conference Series: Materials Science and Engineering*, Institute of Physics Publishing, Aug. 2018. doi: 10.1088/1757-899X/397/1/012109.
- [17] C. Zhu, X. Tang, Y. He, F. Lu, and H. Cui, "Effect of preheating on the defects and microstructure in NG-GMA welding of 5083 Al-alloy," *J Mater Process Technol*, vol. 251, pp. 214–224, Jan. 2018, doi: 10.1016/j.jmatprotec.2017.08.037.
- [18] D. A. Perwira, H. W. Prasetya, and Muh. A. Kurniawan, "Pengaruh Variasi Diameter Filler dan Kuat Arus terhadap Kekuatan Tarik Hasil Pengelasan SMAW Material Stainless Steel 304," *V-Mac*, vol. 6, no. 2, pp. 61–66, 2021.
- [19] H. Q. Wang, C.H Huang, D. Liu, F.Y Zhao, H.B Sun, F.F Wang, L. Can, G.X Kou, and M.Q Ye, "Fume transports in a high rise industrial welding hall with displacement ventilation system and individual ventilation units," *Build Environ*, vol. 52, pp. 119–128, Jun. 2012, doi: 10.1016/j.buildenv.2011.11.004.
- [20] M. R. Flynn and P. Susi, "Local exhaust ventilation for the control of welding fumes in the construction industry - A literature review," *Annals of Occupational Hygiene*, vol. 56, no. 7. pp. 764–776, Aug. 2012. doi: 10.1093/annhyg/mes018.

- [21] M. Bobby Kannan, P. Bala Srinivasan, and V. S. Raja, "Stress corrosion cracking (SCC) of aluminium alloys," in *Stress corrosion cracking: Theory and practice*, Elsevier Ltd, 2011, pp. 307–340. doi: 10.1533/9780857093769.3.307.
- [22] P. Shahsavari and H. R. Rezaei Ashtiani, "Effects of Preheating and Cooling Rate on the Microstructure and Mechanical Properties of Tungsten Inert Gas Welded Joints of AA5083-H321 Aluminum Alloy," *J Mater Eng Perform*, vol. 29, no. 10, pp. 6790–6801, Oct. 2020, doi: 10.1007/s11665-020-05116-x.
- [23] E. A. Starke, "Alloys: Aluminum," *Encyclopedia of Condensed Matter Physics*, pp. 18–24, 2005, doi: 10.1016/B0-12-369401-9/00534-9.
- [24] W. W. Sanders and D. D. Rager, *Aws Structural Welding Code - Aluminum*. 2014.
- [25] F. Budhi Susetyo and S. Hutomo, "Studi Karakteristik Hasil Pengelasan MIG Pada Material Aluminium 5083," *Jurnal Mechanical*, vol. 4, no. 2, 2013.
- [26] P. Sidi, "Analisa Pengaruh Proses Pengelasan Mig Terhadap Distorsi Sudut dan Kedalaman Penetrasi pada Sambungan Butt-Joint," *Metrik Polba*, vol. 5, no. 1, pp. 10–17, 2011.
- [27] Firmansyah, "Bending Test: Pengertian, Jenis, Prosedur dan Acceptancinya," *PT Detech Professional Indonesia*, Jun. 11, 2020.
- [28] K. P. V. Namburi, A. F. Kothasiri, and V. S. M. Yerubandi, "Modeling and simulation of Aluminum 1100 alloy in an extrusion process," in *Materials Today: Proceedings*, Elsevier Ltd, 2020, pp. 518–522. doi: 10.1016/j.matpr.2019.05.398.
- [29] American Welding Society, *Specification for bare aluminum and aluminum-alloy welding electrodes and rods*, vol. 12. 2020.

- [30] S. Junus, “Pengaruh Besar Aliran Gas terhadap Cacat Porositas dan Struktur Mikro Hasil Pengelasan MIG pada Paduan Aluminium 5083,” *Jurnal ROTOR*, vol. 4, pp. 22–31, 2011.
- [31] American Welding Society, *Standard Practice for Microetching Metals and Alloys 1*. 2015. doi: 10.1520/E0407-07R15E01.
- [32] American Welding Society, “Standard Test Methods for Vickers Hardness and Knoop Hardness of Metallic Materials”, doi: 10.1520/E0092-17.
- [33] B. Sulistiyo and H. Purwanto, “Analisis Pengaruh Arus Pengelasan GMAW terhadap Struktur Makro, Mikro dan Sifat Mekanik pada Material Baja Karbon ASTM A36,” *Momentum*, vol. 17, pp. 36–42, 2021.
- [34] American Welding Society, “Designation: E8/E8M – 13a Standard Test Methods for Tension Testing of Metallic Materials 1”, doi: 10.1520/E0008_E0008M-13A.
- [35] B. E. Kacaribu and O. P. Alves, “Analisis Sifat Mekanis Kawat Aluminium Seri 1100-H14 Hasil Pengerjaan Dingin,” *ISU TEKNOLOGI STT MANDALA*, vol. 13, pp. 22–30, 2018.
- [36] American Welding Society, “Designation: E23 – 18 Standard Test Methods for Notched Bar Impact Testing of Metallic Materials 1”, doi: 10.1520/E0023-18.
- [37] American Welding Society, “Standard Test Methods for Bend Testing of Material for Ductility”, doi: 10.1520/E0290-14.
- [38] R. Singh, “Weld defects and inspection,” in *Applied Welding Engineering*, Elsevier, 2020, pp. 285–301. doi: 10.1016/b978-0-12-821348-3.00027-6.

- [39] S. E. Hughes, "Fracture Modes and Welding Defects Imperfection categories," in *A Quick Guide to Welding and Weld Inspection*, 2009, pp. 91–107.
- [40] R. Simanjuntak, "Pengaruh Lingkungan Pengelasan terhadap Cacat dan Sifat Mekanik Sambungan Las Aluminium AA1100," Universitas Sebelas Maret, Surakarta, 2021.
- [41] L. Baihaqi, "Pengaruh Laju Pendinginan terhadap Porositas dan Struktur Mikro Coran Pulley Al-Zn dengan Permanent Mold," Universitas Brawijaya, Malang, 2018.
- [42] I. Khoirofik, "Analysis of Dissimilar Metal Welding Between AA 6063 and AA 5083 Viewed from Mechanical AND Metallurgical Aspects in Shipbuilding," Instirur Teknologi Sepuluh November, Surabaya, 2015.
- [43] G. F. Vander Voort and L. Buehler, "Color Metallography," 2004, doi: 10.1361/asmhba0003752.
- [44] D. N. Setiawan, B. Dwi Cahyo, and L. Winiarsi, "Pengaruh Variasi Suhu dan Waktu Heat Treatment terhadap Struktur Aluminium 1100 dengan Media Pendingin Minyak Nabati," in *SEMINAR NASIONAL INOVASI TEKNOLOGI PENERBANGAN*, 2021, pp. 1–12.
- [45] D. Made and K. Muku, "Kekuatan Sambungan Las Aluminium Seri 1100 dengan Variasi Kuat Arus Listrik Pada Proses Las Metal Inert Gas (MIG)," *Jurnal Ilmiah Teknik Mesin CakraM*, vol. 3, no. 1, pp. 11–17, 2009.
- [46] T. W. B. Riyadi and L. Aji, "Pengaruh Variasi Arus terhadap Struktur Mikro, Kekerasan dan Kekuatan Sambungan pada Proses Pengelasan Aluminium dengan Metode MIG," *Simposium Nasional RAPI*, vol. 14, pp. M275–M281, 2015.

- [47] Asrul, K. Kamil, and M. H. Asiri, "Analisis Kekuatan Sambungan Las Metal Inert Gas (MIG) pada Logam Aluminium Paduan AA6063 dengan Variasi Arus Listrik," *Teknologi*, vol. 18, no. 1, pp. 27–32, 2018.
- [48] A. Rahmatika, S. Ibrahim, M. Hersaputri, and E. Aprilia, "Studi Pengaruh Variasi Kuat Arus terhadap Sifat Mekanik Hasil Pengelasan GTAW Aluminium 1050 dengan Filler ER 4043," *Jurnal Polimesin*, vol. 17, no. 1, 2019.
- [49] U. Sukamto and C. Umam, "Pengaruh Variasi Kuat Arus Pengelasan terhadap Berat Deposit Las Per Milimeter pada Pengelasan Test Ring ASTM A694 GR F65 dan Pipa DNVGL SMLS 450 SFPDU MOD Menggunakan Proses Pengelasan SMAW di PT. Mcdermott Indonesia-Batam," *Journal Of Metallurgical Engineering And Processing Technology*, vol. 3, no. 2, pp. 159–169, 2023.
- [50] Samhuddin, Aminur, A. I. Imran, and S. Ali, "Pengaruh Kuat Arus Listrik Terhadap Kekuatan Bending Akar Las dan Kekerasan Pada Pengelasan SMAW," *Fokus Elektroda*, vol. 07, no. 02, pp. 78–83, 2022.
- [51] I. Habibi, N. Muhayat, and T. Triyono, "Pengaruh Lingkungan Las terhadap Kekuatan Impak Sambungan Las Aluminium AA1100," *Jurnal Rekayasa Mesin*, vol. 12, no. 3, pp. 621–632, Dec. 2021, doi: 10.21776/ub.jrm.2021.012.03.12.
- [52] Sugiarto, A. Wahyudi, and Masduki, "Dampak Perubahan Temperatur Lingkungan Terhadap Temperatur Puncak Las Dan Laju Pendinginan Sambungan Dissimilar Metal Menggunakan Las MIG," *Jurnal Rekayasa Mesin*, vol. 2, no. 2, pp. 98–105, 2011.
- [53] Nurudin, A. T. A. Salim, I. Yuwono, A. Rahmatika, and Suparman, "Analisis Sambungan Las GMAW Baja ASTM A36 yang Terpapar

- Panas Tinggi dan Pendinginan Cepat,” *Jurnal Teknologi Terapan*), vol. 8, no. 2, pp. 166–173, 2022.
- [54] W. Marthiana, Y. Mahyoeding, Duskiardi, and A. Rahim, “Analisa Pengaruh Variasi Arus Listrik Pengelasan Terhadap Kekuatan Sambungan Pengelasan MIG Pada Material ST 37,” *Jurnal Kajian Teknik Mesin*, vol. 05, no. 2, pp. 140–144, 2020.
- [55] I. K. Suarsana, *Analisa Perpatahan*. 2016.
- [56] B. Priyono, H. Nurdin, and D. Primawati, “Analisis Pengaruh Variasi Kuat Arus Pengelasan Metal Inert Gas (MIG) terhadap Ketangguhan Material Sambungan Las pada Baja ST 37,” *VOMEK*, vol. 3, no. 3, pp. 8–14, 2021, [Online]. Available: <http://vomek.ppj.unp.ac.id..>
- [57] R. Siswanto, “Pengaruh Bentuk Kampuh terhadap Panjang, Kedalaman Penetrasi dan Lebar Hasil Pengelasan Menggunakan Las Busur Listrik (SMAW),” *Jurnal Fisika FLUX*, vol. 09, no. 02, pp. 151–158, 2012.
- [58] H. K. Rahman and Sunyoto, “Pengaruh Arus SMAW terhadap Kekuatan Tarik dan Impak Baja Konstruksi IWF JIS G3101 SS400,” *Dinamika Vokasional Teknik Mesin*, vol. 06, no. 01, pp. 35–45, 2021.
- [59] M. Nurdin, M. Z., and B. Anwar, “Pengaruh Temperatur terhadap Kekuatan Impak Sambungan Las Listrik pada Material Besi Plat ST 42,” *Teknologi*, vol. 22, no. 1, pp. 35–42, Apr. 2021.
- [60] Wijoyo and B. Indriyanto, “Pengaruh Masukan Panas (Heat Input) terhadap Ketangguhan Impak Sambungan Las TIG Al-13,5Si,” *SIMETRIS*, vol. 7, no. 2, pp. 545–550, Oct. 2016.

- [61] U. Prasmayobi, “Studi Kekuatan Bending dan Kekerasan pada Pengelasan Aluminium dengan Menggunakan Las SMAW (Shielded Metal Arc Weling),” *Enthalpy*, vol. 1, no. 1, pp. 1–6, 2016.

