

DAFTAR PUSTAKA

1. Liu L, Oza S, Hogan D, Chu Y, Perin J, Zhu J, et al. Global, regional, and national causes of under-5 mortality in 2000–15: An updated systematic analysis with implications for the Sustainable Development Goals. *The Lancet*. 2016;388:3027–35.
2. Kementerian Kesehatan Republik Indonesia. Profil kesehatan Indonesia 2020. Dalam: Kementerian Kesehatan Republik Indonesia. 2021. h. 177.
3. Shah BA, Padbury JF. Neonatal sepsis an old problem with new insights. *Virulence*. 2014;5:170–8.
4. Kementerian Kesehatan Republik Indonesia. Rencana strategis Kementerian Kesehatan tahun 2015-2019 revisi 1 - th. 2017. Kementerian Kesehatan; 2018 h. 1–258.
5. Zulaikha N, Minata F. Analisa determinan kejadian kelahiran prematur di RSIA Rika Amelia Palembang. *Jurnal Kesehatan Saemakers Perdana*. 2021;4:24–30.
6. Ohuma EO, Moller AB, Bradley E, Chakwera S, Hussain-Alkhateeb L, Lewin A, et al. National, regional, and global estimates of preterm birth in 2020, with trends from 2010: A systematic analysis. *The Lancet*. 2023;402:1261–71.
7. Fleischmann C, Reichert F, Cassini A, Horner R, Harder T, Markwart R, et al. Global incidence and mortality of neonatal sepsis: A systematic review and meta-analysis. *Arch Dis Child*. 2021;106:745–52.
8. Utomo MT, Sumitro KR, Etika R, Widodo ADW. Current-proven neonatal sepsis in indonesian tertiary neonatal intensive care unit: A hematological and microbiological profile. *Iran J Microbiol*. 2021;13:266–73.
9. Cai N, Chen ZQ, Tao M, Fan WT, Liao W. Mean platelet volume and red blood cell distribution width is associated with prognosis in premature neonates with sepsis. *Open Medicine Poland*. 2021;16:1175–81.
10. Milton R, Gillespie D, Dyer C, Taiyari K, Carvalho MJ, Thomson K, et al. Neonatal sepsis and mortality in low-income and middle-income countries from a facility-based birth cohort: an international multisite prospective observational study. *Lancet Glob Health*. 2022;10:661–72.
11. Hayes R, Hartnett J, Semova G, Murray C, Murphy K, Carroll L, et al. Neonatal sepsis definitions from randomised clinical trials. *European Society for Pediatric Research*. 2021;1–8.
12. Kamalakannan SK. Neonatal sepsis past to present. *Biomed J Sci Tech Res*. 2018;3:3309–14.
13. Gomella T, Cunningham, Eyal, Zenk. Infectious disease. Dalam: *Neonatology: Management, Procedures, On-Call Problems, Diseases, and Drugs*. 5th ed. McGraw-Hill Companies; 2020. h. 434–81.
14. World Health Organisation. Global report on the epidemiology and burden of sepsis: Current evidence, identifying gaps and future directions. World Health Organization. Jerman: World Health Organization; 2020. h. 25–28.
15. Simonsen KA, Anderson-Berry AL, Delair SF, Dele Davies H. Early-onset neonatal sepsis. *Clin Microbiol Rev*. 2014;27:21–47.

16. Wynn JL, Wong HR. Pathophysiology of Neonatal Sepsis. Dalam: Richard A, Polin M, editors. *Fetal and Neonatal Physiology*. New York: Elsevier; 2016. h. 1536–1552.
17. Rose DU, Santisi A, Ronchetti MP, Martini L, Serafini L, Betta P, et al. Invasive candida infections in neonates after major surgery: Current evidence and new directions. *Pathogens*. 2021;10:1–18.
18. Salsabila K, Toha NMA, Rundjan L, Pattanittum P, Sirikarn P, Rohsiswatmo R, et al. Early-onset neonatal sepsis and antibiotic use in Indonesia: a descriptive, cross-sectional study. *BMC Public Health*. 2022;22:1–12.
19. Glaser MA, Hughes LM, Jnah A, Newberry D, Harris-Haman PA. Neonatal Sepsis: A review of pathophysiology and current management strategies. *Advances in Neonatal Care*. 2021;2:49–60.
20. Kan B, Razzaghian HR, Lavoie PM. An immunological perspective on neonatal sepsis. *Trends Mol Med*. 2016;22:290–302.
21. Sky B, Kevin B, Ivan Z, Jonathan K. Innate Immune Pattern Recognition: A Cell Biological Perspective. *Annu Rev Immunol*. 2015;33:257–90.
22. Araujo BC, Guimarães H. Risk factors for neonatal sepsis: an overview. *Journal of Pediatric and Neonatal Individualized Medicine*. 2020;9:1–15.
23. Fedaa Noah N, Leen Jamel D, Oday J. Perinatal risk factors and early onset of neonatal sepsis. *International Journal of Pediatric Research*. 2022;8:1–5.
24. O'connell AE. Primary immunodeficiency in the NICU. *Neoreview American Academy of Pediatrics*. 2019;20:67–77.
25. Mahallei M, Rezaee MA, Mehramuz B, Beheshtirooy S, Abdinia B. Clinical symptoms, laboratory, and microbial patterns of suspected neonatal sepsis cases in a children's referral hospital in northwestern Iran. *Medicine*. 2018;97:1–5.
26. Odabasi IO, Bulbul A. Neonatal Sepsis. *The Medical Bulletin of Sisli Etfal Hospital*. 2020;54:142–58.
27. Celik IH, Hanna M, Canpolat FE, Pammi M. Diagnosis of neonatal sepsis: The past, present and future. *Pediatr Res*. 2022;91:337–50.
28. Sharma D, Farahbakhsh N, Shastri S, Sharma P. Biomarkers for diagnosis of neonatal sepsis: a literature review. *Journal of Maternal-Fetal and Neonatal Medicine*. 2018;12:1646–59.
29. Gandhi P, Kondekar S. A review of the different haematological parameters and biomarkers used for diagnosis of neonatal sepsis. *EMJ Hematol*. 2019;7:85–92.
30. Omer I, Mohammed B. A study of red cell distribution width and neonatal sepsis at Soba University Hospital, Khartoum, Sudan. *Sudan J Paediatr*. 2021;21:42–7.
31. Rodwell RL, Leslie AL, Tudehope DI. Early diagnosis of neonatal sepsis using a hematologic scoring system. *J Pediatr*. 1988;112:761–7.
32. Eschborn S, Weitkamp JH. Procalcitonin versus C-reactive protein: Review of kinetics and performance for diagnosis of neonatal sepsis. *Journal of Perinatology*. 2019;893–903.
33. Omar J, Isa S, Ismail TST, Yaacob NM, Soh NAAC. Procalcitonin as an early laboratory marker of sepsis in neonates: Variation in diagnostic performance and discrimination value. *Malaysian Journal of Medical Sciences*. 2019;26:61–9.

34. Sun B, Liang LF, Li J, Yang D, Zhao XB, Zhang KG. A meta-analysis of interleukin-6 as a valid and accurate index in diagnosing early neonatal sepsis. *Int Wound J*. 2019;16:527–33.
35. Zhou M, Cheng S, Yu J, Lu Q. Interleukin-8 for diagnosis of neonatal sepsis: A meta-analysis. *PLoS One*. 2015;10:1–12.
36. Klingenberg C, Kornelisse RF, Buonocore G, Maier RF, Stocker M. Culture-negative early-onset neonatal sepsis - at the crossroad between efficient sepsis care and antimicrobial stewardship. *Front Pediatr*. 2018;6:1–9.
37. Yuniati T, Aminullah A. Sepsis pada bayi baru lahir. Dalam: Wandita S, Sarosa GI, Wibowo T, Alasiry E, Hidayah D, Anggraini A, penyunting. *Buku Ajar Neonatologi Anak Kedua*. Jakarta Pusat: Badan Penerbit Ikatan Dokter Anak Indonesia; 2021. h. 160–82.
38. Gitto E, Karbownik M, Reiter RJ, Tan X, Cuzzocrea S, Chiurazzi P, et al. Effects of Melatonin Treatment in Septic Newborns. *International Pediatric Research Foundation*. 2001;50:756–60.
39. Wilar R, Kumalasari E, Suryanto D, Gunawan S. Faktor risiko sepsis awitan dini. *Sari Pediatri*. 2016;12:265–9.
40. Wilar R, Lestari H. Risk factors and clinical outcomes of neonatal sepsis in Manado Tertiary Referral Hospital: A single-center study. *Open Access Maced J Med Sci*. 2022;93–8.
41. Seale AC, Obiero CW, Berkley JA. Rational development of guidelines for management of neonatal sepsis in developing countries. *Curr Opin Infect Dis*. 2015;28:225–30.
42. Parra-Llorca A, Pinilla-Gonzalez A, Torrejón-Rodríguez L, Lara-Cantón I, Kuligowski J, Collado MC, et al. Effects of sepsis on immune response, microbiome and oxidative metabolism in preterm infants. *Children*. 2023;10:2–16.
43. Niemarkt HJ, De Meij TG, Van Ganzewinkel CJ, De Boer NKH, Andriessen P, Hütten MC, et al. Necrotizing enterocolitis, gut microbiota, and brain development: Role of the brain-gut axis. *Neonatology*. 2019;115:423–31.
44. Pammi M, Cope J, Tarr PI, Warner BB, Morrow AL, Mai V, et al. Intestinal dysbiosis in preterm infants preceding necrotizing enterocolitis: A systematic review and meta-analysis. *Microbiome*. 2017;5:1–15.
45. Bekele T, Merga H, Tesfaye T, Asefa H. Predictors of mortality among neonates hospitalized with neonatal sepsis: A case control study from southern Ethiopia. *BMC Pediatr*. 2022;22:1–9.
46. Ramadani RK, Anggraini A, Wandita S. Skor prediktor kematian sepsis neonatorum awitan dini. *Sari Pediatri*. 2016;18:117–21.
47. Tang Y, Teng Y, Xu L, Xu G, Chen D, Jin X, et al. Lower platelet-to-lymphocyte ratio was associated with poor prognosis for newborn patients in NICU. *Medicina B Aires*. 2022;58:1–9.
48. Fleiss N, Coggins S, Lewis A, Zeigler A, Cooksey K. Evaluation of the neonatal sequential organ failure assessment and mortality risk in preterm infants with late-onset infection. *JAMA Netw Open*. 2021;4:1–11.
49. Chaudhry S, Haroon F, Waheed KAI, Victor G, Shahzad M, Fatima B. Blood lactate levels and lactate clearance as predictors of mortality in neonatal sepsis. *Journal of Ayub Medical*

- College. 2022;34:438–41.
50. Belachew A, Tewabe T. Neonatal sepsis and its association with birth weight and gestational age among admitted neonates in Ethiopia: Systematic review and meta-analysis. *BMC Pediatr.* 2020;20:2–7.
 51. Iijima S. Exchange transfusion in neonatal sepsis: A narrative literature review of pros and cons. *J Clin Med.* 2022;11:1–13.
 52. Jovicic M, Milosavljevic MN, Folic M, Pavlovic R, Jankovic SM. Predictors of mortality in early neonatal sepsis: A single-center experience. *Medicina B Aires.* 2023;59:1–11.
 53. Gan MY, Lee WL, Yap BJ, Seethor STT, Greenberg RG, Pek JH, et al. Contemporary trends in global mortality of sepsis among young infants less than 90 days: A Systematic review and meta-analysis. *Front Pediatr.* 2022;10:1–17.
 54. Deaneva AM, Siregar R, Martuti S. Delta neutrophil index dan C-Reactive Protein sebagai prediktor mortalitas pada sepsis neonatorum awitan dini di RSUD Dr. Moewardi [Karya Tulis Akhir]: Universitas Sebelas Maret; 2023.
 55. Pasha AB, Chen XQ, Zhou GP. Bronchopulmonary dysplasia: Pathogenesis and treatment. *Exp Ther Med.* 2018;16:4315–21.
 56. You T, Zhou YR, Liu XC, Li LQ. Risk factors and clinical characteristics of neonatal acute respiratory distress syndrome caused by early onset sepsis. *Front Pediatr.* 2022;10:1–8.
 57. Arcagok BC, Karabulut B. Platelet to lymphocyte ratio in neonates: A predictor of early onset neonatal sepsis. *Mediterr J Hematol Infect Dis.* 2019;11:1–8.
 58. O'Reilly D, Murphy CA, Drew R, El-Khuffash A, Maguire PB, Ainle FN, et al. Platelets in pediatric and neonatal sepsis: Novel mediators of the inflammatory cascade. *Pediatr Res.* 2022;91:359–67.
 59. Pamudji KM, Kardana IM. Diagnostic value of mean platelet volume in neonatal sepsis. *Paediatr Indones.* 2019;59:289–93.
 60. Wang G, Mivefroshan A, Yaghoobpoor S, Khanzadeh S, Siri G, Rahmani F, et al. Prognostic value of platelet to lymphocyte ratio in sepsis : A systematic review and meta-analysis. *Hindawi BioMed Research International.* 2022;22:1–11.
 61. Kurniawan F, Manoppo JIC, Runtunuwu AL, Lolombulan JH, Rampengan NH. Platelet-lymphocyte ratio and sepsis outcomes in children. *Paediatr Indones.* 2021;61:322–7.
 62. Mohamed N, Abdelsalam S. Platelet to lymphocyte ratio and neutrophil to lymphocyte ratio as new diagnostic markers for detection of early-onset neonatal sepsis in full-term newborns. *Minia Journal of Medical Research.* 2019;30:150–5.
 63. Zamany A, Hakim DD, Setiabudi D. Korelasi positif antara neutrophil lymphocyte count ratio dan C-Reactive Protein pada pasien sepsis anak. *Sari Pediatri.* 2021;23:1–5.
 64. Manz MG, Boettcher S. Emergency granulopoiesis. *Nat Rev Immunol.* 2014;14:302–14.
 65. Nugroho ID, Salimo H, Hidayah D. Perbandingan neutrophil to lymphocyte count ratio dengan C-Reactive Protein sebagai prediktor sepsis neonatorum [Karya Tulis Akhir]. Universitas Sebelas Maret; 2018.
 66. Sekarhandini P, Hidayah D, Moelyo AG. Perbandingan sistem skoring hematologi rodwell dan rasio hitung neutrofil limfosit sebagai penanda awal sepsis neonatorum [Karya Tulis Akhir]. Universitas Sebelas Maret; 2020.

67. Singareddy A, Lee ASE, Sweeney PL, Finkle AE, Williams HL, Buchanan PM, et al. Elevated neutrophil-lymphocyte ratios in extremely preterm neonates with histologic chorioamnionitis. *Journal of Perinatology*. 2021;41:1269–77.
68. Stein AA, Eyerly-Webb S, Solomon R, Tani C, Shachar E, Kimball R, et al. Peripheral blood neutrophil-to-lymphocyte ratio in preterm infants with intraventricular hemorrhage. *Clin Neurol Neurosurg*. 2019;180:52–6.
69. Mu Y, Wang H. Association of neutrophil to lymphocyte ratio with preterm necrotizing enterocolitis: A retrospective case-control study. *BMC Gastroenterol*. 2022;22:1–9.
70. Nandiyarizky D, Ema Alasiry, A. Dwi Bahagia Febriani. Neutrophil-to-Lymphocyte Ratio as a risk factor for mortality and length of stay in neonatal sepsis. *Alami Journal*. 2024;8:31–9.
71. Duignan SM, Lakshminrusimha S, Armstrong K, de Boode WP, El-Khuffash A, Franklin O, et al. Neonatal sepsis and cardiovascular dysfunction: Mechanisms and pathophysiology. *Pediatr Res*. 2023;95:1207–16.
72. de Waal K, Crendal E, Poon ACY, Latheef MS, Sachawars E, MacDougall T, et al. The association between patterns of early respiratory disease and diastolic dysfunction in preterm infants. *Journal of Perinatology*. 2023;43:1268–73.
73. Naseri A, Turgut K, Sen I, Ider M. Chronological echocardiographic evaluation of left ventricular systolic and diastolic function in term and premature neonatal calves. *Theriogenology*. 2020;158:461–9.
74. Sumbaraju SL, Nayak K, Prabhu S, Nayak V, Prabhu KP, Lewis LE. Myocardial performance imaging for the early identification of cardiac dysfunction in neonates with sepsis. *International Journal of Cardiovascular Imaging*. 2024;40:1435–44.
75. Kamenyangan MG, Murti B, Lilijanti S. Hubungan residu lambung dengan gangguan fungsi jantung pada neonatus berisiko sepsis [Karya Tulis Akhir]: Universitas Sebelas Maret; 2012.
76. Rasyidah R. Pola kuman dan uji kepekaan antibiotik pada sepsis neonatorum di unit perawatan neonatus RSUD dr. Pirngadi Kota Medan. *Sari Pediatri*. 2016;15:341–4.
77. Bhat Y R. Platelet indices in neonatal sepsis: A review. *World J Clin Infect Dis*. 2017;7:6–10.
78. Parks MK, Salamat M. Noninvasive imaging tools. Dalam: *Park's Pediatric Cardiology for Practitioners*. ketujuh. Philadelphia: Elsevier; 2021. h. 58–68.
79. AboElnour S, AL Gameel AK, Hammad N. Frequency of myocardial dysfunction in neonatal sepsis: A single center experience. *Pediatric Sciences Journal*. 2023;4:2–8.