

## DAFTAR PUSTAKA

- Amaranti, R., Irianto, D., & Govindaraju, R. (2017). Green manufacturing: kajian literatur. *Seminar dan Konferensi Nasional IDEC 2017* (hal. 171-181). Surakarta: Teknik Industri Universitas Sebelas Maret. Diambil kembali dari [https://idec.ft.uns.ac.id/wp-content/uploads/2017/11/Prosiding2017\\_ID030.pdf](https://idec.ft.uns.ac.id/wp-content/uploads/2017/11/Prosiding2017_ID030.pdf)
- Arif, M., Stroud, I. A., & Akten, O. (2013). A model to determine the optimal parameters for sustainable-energy machining in a a multi-pass turning operation. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 228(6), 866-877. doi:<https://doi.org/10.1177/0954405413508945>
- Bagaber, S. A., & Yusoff, A. R. (2019). Energy and cost integration for multi-objective optimisation in a sustainable turning process. *Measurement*, 136, 795-810. doi:<http://dx.doi.org/10.1016/j.jclepro.2015.02.076>
- Boyer, O., Sai Hong, T., Pedram, A., Mohd Yusuff, R. B., & Zulkifli, N. (2013). A mathematical model for the industrial hazardous waste location-routing problem. *Journal of Applied Mathematics*, 2013, 1-10. doi:10.1155/2013/435272
- Camposeco-Negrete, C. (2015). Optimization of cutting parameters using response surface method for minimizing energy consumption and maximizing cutting quality in turning of AISI 6061 T6 aluminum. *Journal of Cleaner Production*, 91, 109-117. doi:<https://doi.org/10.1016/j.jclepro.2014.12.017>
- Chauhan, P., Pant, M., & Deep, K. (2014). Parameter optimization of multi-pass turning using chaotic PSO. *International Journal of Machine Learning and Cybernetics*, 6(2), 319-337. doi:10.1007/s13042-013-0221-1
- Chen, M. C., & Tsai, D. M. (1996). A simulated annealing approach for optimization of multi-pass turning operations. *International Journal of Production Research*, 34(10), 2803-2825. doi:10.1080/00207549608905060

- Chen, W., Wiecek, M. M., & Zhang, J. (1999). Quality utility - a compromise programming approach to robust design. *Journal of Mechanical Design*, 121(2), 179-187. doi:<https://doi.org/10.1115/1.2829440>
- Daellenbach, H. G., & McNickle, D. C. (2005). *Managemeng science: decision making through systems thinking*. Basingstoke: Palgrave Macmillan.
- Dahmus, J. B., & Gutowski, T. G. (2004). An environmental analysis of machining. *ASME 2004 International Mechanical Engineering Congress and Exposition* (hal. 643-652). Anaheim: American Society of Mechanical Engineers. doi:10.1115/IMECE2004-62600
- Deb, K. (2001). *Multi-objective optimization using evolutionary algorithms*. England: John Wiley and Sons.
- Dreher, J., Lawler, M., Stewart, J., Strassier, G., & Thorne, M. (2009). *General Motors: metrics for sustainable manufacturing*. Cambridge: Laboratory for Sustainable Business, Massachusetts Institute of Technology.
- Eaton, R. J. (1999). Getting the most out of environmental metrics. *The Bridge*, 29(1), 4-7.
- Groover, M. P. (2012). *Fundamentals of modern manufacturing: materials, processes, and systems, fifth edition*. Hoboken: Wiley.
- Gunantara, N. (2018). A review of multi-objective optimization: methods and its applications. *Cogent Engineering*, 5(1), 1-16. doi:<https://doi.org/10.1080/23311916.2018.1502242>
- Gustaman. (2015). Otomatisasi mesin bubut konvensional CELTIC 14 NBC menggunakan kendali CNC GSK 928 TE II. *Jurnal Ilmiah Teknologi dan Rekayasa*, 20(1), 36-48.
- Haapala, K. R., Zhao, F., Camelio, J., Sutherland, J. W., Skerlos, S. J., Dornfeld, D. A., . . . Rickli, J. L. (2013). A review of engineering research in sustainable manufacturing. *Journal of Manufacturing Science and Engineering*, 135(4), 041013-1 - 041013-16. doi:10.1115/1.4024040
- Hu, L., Liu, Y., Lohse, N., Tang, R., Lv, J., Peng, C., & Evans, S. (2017). Sequencing the features to minimise the non-cutting energy consumption in machining considering the change of spindle rotation speed. *Energy*, 139, 935-946. doi:<http://dx.doi.org/10.1016/j.energy.2017.08.032>

- Hu, L., Liu, Y., Peng, C., Tang, W., Tang, R., & Tiwari, A. (2018). Minimising the energy consumption of tool change and tool path of macining by sequencing the features. *Energy*, 147, 390-402. doi:<https://doi.org/10.1016/j.energy.2018.01.046>
- Hu, L., Tang, R., Cai, W., Feng, Y., & Ma, X. (2019). Optimisation of cutting parameters for improving energy efficiency in machining process. *Robotics and Computer Integrated Manufacturing*, 59, 406-416. doi:<https://doi.org/10.1016/j.rcim.2019.04.015>
- Hu, L., Tang, R., Liu, Y., Cao, Y., & Tiwari, A. (2018). Optimising the machining time, deviation and energy consumption through a multi-objective feature sequencing approach. *Energy Conversion and Management*, 160, 126-140. doi:<https://doi.org/10.1016/j.enconman.2018.01.005>
- Hwang, C.-L., & Md. Masud, A. S. (Multiple objective decision making, methods and applications: a state-of-the-art survey). 1979, Berlin: Springer-Verlag.
- International Energy Agency. (2007). *Tracking industrial energy efficiency and CO2 emissions*. Paris: Stedia Media.
- Jawahir, I. S., & Dillon, O. W. (2007). Sustainable manufacturing processes: new challenges for developing predictive models and optimization techniques. *Proceeding of the First International Conference on Sustainable Manufacturing* (hal. 1-19). Montreal: Aerospace Manufacturing Technology Centre.
- Jia, S. (2014). *Energy demand modelling and intelligent computing of machining process for low carbon manufacturing*. Hangzhou: Zhejiang University.
- Koski, J. (1984). Multicriterion optimization in structural design. Dalam E. Atrek, R. H. Gallagher, K. M. Ragsdell, & O. C. Zienkiewicz, *New Direction in Optimum Structural Design* (hal. 483-503). New York: John Wiley & Sons.
- Koski, J., & Silvennoinen, R. (1987). Norm methods and partial weighting in multicritetion optimization of structures. *International Journal for Numerical Methods in Engineering*, 24(6), 1101-1121. doi:<https://doi.org/10.1002/nme.1620240606>

- Li, C., Cui, L., Liu, F., & Li, L. (2013). Multi-objective NC machining parameters optimization model for high efficiency and low carbon. *Journal of Mechanical Engineering*, 49(9), 87-96. doi:10.3901/JME.2013.09.087
- Li, C., Tang, Y., Cui, L., & Yi, Q. (2013). Quantitative analysis of carbon emissions of CNC-based machining systems. *Proceedings of IEEE 10th International Conference on Networking, Sensing and Control* (hal. 869-874). Evry: IEEE. doi:10.1109/ICNSC.2013.6548852
- Liu, F., Xu, Z. J., & Dan, B. (1995). *Energy performance of mechanical processing system and application*. Beijing: China Machine Press.
- Liu, Z. J., Sun, D. P., Lin, C. X., Zhao, X. Q., & Yang, Y. (2016). Multi-objective optimization of the operating conditions in a cutting process based on low carbon emission costs. *Journal of Cleaner Production*, 124, 266-275. doi:https://doi.org/10.1016/j.jclepro.2016.02.087
- Lu, C., Gao, L., Lu, X., & Chen, P. (2016). Energy-efficient multi-pass turning operation using multi-objective backtracking search algorithm. *Journal of Cleaner Production*. doi:10.1016/j.jclepro.2016.07.029
- Lu, T., Gupta, A., Jayal, A. D., Badurdeen, F., Feng, S. C., Dillon, O. W., & Jawahir, I. S. (2010). A framework of product and process metrics for sustainable manufacturing. *Proceedings of the Eight International Conference on Sustainable Manufacturing*. Abu Dhabi.
- Lv, J., Tang, R., & Jia, S. (2014). Therblig-based energy supply modelling of computer numerical machine tools. *Journal of Cleaner Production*, 65, 168-177. doi:https://doi.org/10.1016/j.jclepro.2013.09.055
- Marler, R. T., & Arora, J. S. (2004). Survey of multi-objective optimization methods for engineering. *Structural and Multidisciplinary Optimization*, 26(6), 369-395. doi:10.1007/s00158-003-0368-6
- Mativenga, P. T., & Rajemi, M. F. (2011). Calculation of optimum cutting parameters based on minimum energy footprint. *CIRP Annals - Manufacturing Technology*, 60, 149-152. doi:10.1016/j.cirp.2011.03.088
- National Development & Reform Commission of China (NDRC). (2013). *Baseline Emission Factors for Regional Power Grids in China*. Diambil kembali dari



<http://www.ccchina.gov.cn/archiver/cdmcn/UpFile/Files/Default/20130917081426863466.pdf>

- Onwubolu, G. C., & Kumalo, T. (2001). Optimization of multipass turning operations with genetic algorithms. *International Journal of Production Research*, 39(16), 3727-3745. doi:<https://doi.org/10.1080/00207540110056153>
- Osyczka, A. (1978). An approach to multicriterion optimization problems for engineering design. *Computer Methods in Applied Mechanics and Engineering*, 15(3), 309-333. doi:[https://doi.org/10.1016/0045-7825\(78\)90046-4](https://doi.org/10.1016/0045-7825(78)90046-4)
- Proos, K. A., Steven, G. P., Querin, O. M., & Xie, Y. M. (2001). Multicriterion evolutionary structural optimization using the weighted and the global criterion methods. *AIAA Journal*, 39(10), 2006-2012. doi:<https://doi.org/10.2514/2.1193>
- Rao, S. S., & Freiheit, T. I. (1991). A modified game theory approach to multiobjective optimization. *Journal of Mechanical Design*, 113(3), 286-291. doi:<https://doi.org/10.1115/1.2912781>
- Ri-yao, C. (1984). *Metal cutting principle*. China: Machine Industry Publication China.
- Rosyidi, C. N., Imamah, N. U. F., & Jauhari, W. A. (2020). An optimization model of make or buy decision and quality improvement of components using rebate, *Cogent Engineering*, 7(1). doi:10.1080/23311916.2020.1767266
- Salukvadze, M. E. (1979). *Vector-valued optimization problems in control theory*. New York: Academic Press.
- Sardinas, R. Q., Santana, M. R., & Brindis, E. A. (2006). Genetic algorithm-based multi-objective optimization of cutting parameters in turning processes. *Engineering Applications of Artificial Intelligence*, 19(2), 127-133. doi:<https://doi.org/10.1016/j.engappai.2005.06.007>
- Shi, J. L., Liu, F., Xu, D. J., & Chen, G. R. (2009). Decision model and practical method of energy-saving in NC machine tool. *China Mechanical Engineering*, 20(11), 1344-1346.

- Shin, Y. C., & Joo, Y. S. (1992). Optimization of machining conditions with practical constraints. *International Journal of Production Research*, 30(12), 2907-2919. doi:<https://doi.org/10.1080/00207549208948198>
- Tian, C., Zhou, G., Zhang, J., & Zhang, C. (2019). Optimization of cutting parameters considering tool wear conditions in low-carbon manufacturing environment. *Journal of Cleaner Production*, 226, 706-719. doi:<https://doi.org/10.1016/j.jclepro.2019.04.113>
- United States Environmental Protection Agency. (t.thn.). *Sustainable Manufacturing*. Dipetik April 8, 2020, dari United States Environmental Protection Agency: <https://www.epa.gov/sustainability/sustainable-manufacturing>
- Vipin, Arora, B. B., & Mishra, R. S. (2011). Optimization of machining time at multi-pass turning in heavy machining operation. *International Journal of Engineering Studies*, 3(1), 13-20.
- Wang, Q., Liu, F., & Wang, X. (2014). Multi-objective optimization of machining parameters considering energy consumption. *The International Journal of Advanced Manufacturing Technology*, 71, 1133-1142. doi:<https://doi.org/10.1007/s00170-013-5547-z>
- Widhiarso, W., & Rosyidi, C. N. (2018). Multi objective optimization model for minimizing production cost and environmental impact in CNC turning process. *The 3rd International Conference on Industrial, Mechanical, Electrical, and Chemical Engineering* (hal. 030024-1 - 030024-7). Surakarta: AIP Conference Proceedings. doi:10.1063/1.5024083
- Yi, Q., Li, C., Tang, Y., & Chen, X. (2015). Multi-objective parameter optimization of CNC machining for low carbon manufacturing. *Journal of Cleaner Production*, 1-9. doi:<http://dx.doi.org/10.1016/j.jclepro.2015.02.076>
- Yun, Y. (2014). *Research on turning parameters multi-objective optimization for high-efficiency and low-carbon machining*. Dalian Maritime University.
- Zhong, Q., Tang, R., & Peng, T. (2017). Decision rule for energy consumption minimization during material removal process in turning. *Journal of Cleaner Production*, 1819-1827. doi:10.1016/j.jclepro.2016.07.084

Zhou, G., Zhou, C., Lu, Q., Tian, C., & Xiao, Z. (2017). Feature-based carbon emission quantitation strategy for the part machining process. *International Journal of Computer Integrated Manufacturing*, 1-20. doi: 10.1080/0951192X.2017.1328561

