

## DAFTAR PUSTAKA

- Abbaspour N, Hurrell R, Kelishadi R (2014). Review on iron and its importance for human health. *Journal of Research in Medical Sciences : The Official Journal of Isfahan University of Medical Sciences*, 19(2):164-174.
- Abedi AJ dan Srivastava JP (2012). The effect of vaccination on nutritional status of pre-school childrenin rural and urban Lucknow. *Youth Education and Research Trust*, 1(4).
- Adiyanti M and Besral (2014). *Nutritional Care, Sanitation, and Utilization of Posyandu with Stunting on Baduta in Indonesia (Data Analysis Riskesdas in 2010)*. University of Indonesia, Mini Thesis.
- Afarwuah SA, Lartey A, Brown KH, Zlotkin S, Briend A, Dewey KG (2007). Randomized comparison of 3 types of micronutrient supplements for home fortification of complementary foods in Ghana: Effects on growth and motor development. *The American Journal of Clinical Nutrition*, 86(2): 412-420.
- Agho KE, Inder KJ, Bowe SJ, Jacobs J, Dibley MJ (2009). Prevalence and Risk Factors for Stunting and Severe Stunting among Under-fives in North Maluku Province of Indonesia. *BMC pediatrics*. 9(1): 64 doi: 10.1186/1471-2431-9-64
- Aguayo VM, Badgaiyan N, Paintal K (2015). Determinants of child stunting in the Royal Kingdom of Bhutan: an in-depth analysis of nationally representative data. *Maternal & Child Nutrition*, 11(3):333-345.
- Aini AN, Aritonang I, Siswati T (2013). Inisiasi menyusui dini (IMD) dan pemberian ASI eksklusif sebagai faktor risiko terjadinya stunted pada anak usia 0-24 bulan. *Jurnal Teknologi Kesehatan*, 9(2).
- Ansari N, Rahbar MH, Bhutta ZA, Badruddin SH (2006). Child's gender and household food insecurity are associated with stunting among young pakistani

- children residing in urban squatter settlements. *SAGE Journals*, 27(2): 114-127.
- Anugraheni HS dan Kartasurya MI (2012). Faktor Risiko Kejadian *Stunting* Pada Anak Usia 12-36 Bulan di Kecamatan Pati, Kabupaten Pati. *Journal of Nutrition College*, 1(1): 30-37
- Arundito BW, Julia M, Nurani N, Prawirohartono EP (2017). Upper arm fat and muscle in stunted and non-stunted children aged 0-24 months.
- Aryastami NK, Shankar A, Kusumawardani N, Besral B, Jahari AB, Achadi E (2017). Low birth weight was the most dominant predictor associated with stunting among children aged 12–23 months in Indonesia. *BMC Nutrition*, 3: 16.
- Aryastami NK, Shankar A, Kusumawardani N, Besral B, Jahari AB, Achadi E (2016). Low birth weight was the most dominant predictor associated with stunting among children aged 12-23 months in Indonesia. *BMC Nutrition*, 3:16
- Astuti FD and Sulistyowati TF (2012). *Hubungan Tingkat Pendidikan Ibu dan Tingkat Pendapatan Keluarga dengan Status Gizi Anak Prasekolah dan Sekolah Dasar di Kecamatan Godean*. Ahmad Dalan University, Mini Thesis.
- Avan BI, Raza SA, dan Kirkwood BR (2015). An epidemiological study of urban and rural children in Pakistan: Examining the relationship between delayed psychomotor development, low birth weight and postnatal growth failure. *Trans R Soc Trop Med Hyg*, 109:189-19
- AW Conservation, Hardinsyah, Jalal F, Madanijah, Briawan D (2013). The risk factors stunting, food intake patterns, energy intake and nutritional substances children 0-23 months. *Graduate Forum Journal*,36 (2).

- Beal T, Tumilowicz A, Sutrisna A, Izwardy D, Neufeld LM (2018). A review of child stunting determinants in Indonesia. *Wiley Maternal & Child Nutrition*, 14:e12617 DOI: 10.1111/mcn.12617
- Best CM, Sun K, de Pee S, Sari M, Bloem MW, Semba RD (2008). Paternal smoking and increased risk of child malnutrition among families in rural Indonesia. *Tobacco control*, 17(1): 38-45.
- Black RE, Allen LH, Bhutta ZA, Caulfield LE, Onis M, Ezzati M, Mathers C, et al (2008). Maternal and child undernutrition: Global and regional exposures and health consequences. *The Lancet*, 371(9608): 243-260.
- Black RE, Allen LH, Bhutta ZA, Caulfield LE, Onis MD, Ezzati M, Rivera J (2008). Maternal and child undernutrition: global and regional exposures and health consequences. *The Lancet*, 371(9608): 243-260
- Black RE, Victora CG, Walker SP, Bhutta ZA, Christian P, de Onis M, Ezzati M, et al (2013). Maternal and child undernutrition and overweight in low-income and middle-income countries. *The Lancet*, 382 (9890): 427-451.
- Briend A, Khara T, dan Dolan C (2015). Wasting and stunting-similarities and differences: policy and programmatic implication. *Food Nutr Bul*, 36:S15-23
- Candra A, Puruhita N, dan Susanto JC. Risk Factors of Stunting amon 1-2 Years Old Children in Semarang City. *Media Medika Indonesia*, 45: 206-212
- Cedraz LM and Carvalho FM (1990). Family income and child malnutrition in the coast of Camacari Brazil. *Arch Latinoam Nutr*, 40(3):323-32
- Checkley W, Epstein LD, Gilman RH, Cabrera L, and Black RE (2003). Effects of Acute Diarrhea on Linear Growth in Peruvian Children. *American Journal Epidemiology*, 157(2): 166-175.
- Christian P, Shaikh S, Shamim AA, Mehra S, Wu L, Mitra M, Ali H, et al (2015). Effect of fortified complementary food supplementation on child growth in

- rural Bangladesh: a cluster-randomized trial. *International Journal of Epidemiology*, 44(6): 1862-1876.
- Cumming O dan Cairncross S (2016). Can water, sanitation and hygiene help eliminate stunting? Current evidence and policy implications. *Maternal and Child Nutrition*, 12(1): 91-105
- Danaei G, Andrews KG, Sudfeld CR, Fink G, McCoy DC, Peet E, Sania A, et al (2016). Risk factors for childhood stunting in 137 developing countries: A comparative risk assessment analysis at global, regional, and country levels. *PloS Med*, 13 (11):e1002164.
- Departemen Kesehatan (2013). *Riset kesehatan dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan RI.
- Departemen Kesehatan (2016). *Infodatin Situasi Balita Pendek*. Jakarta Selatan: Kementerian Kesehatan RI.
- Depkes (2010). *Keputusan Menteri Kesehatan Republik Indonesia Nomor : 1995/MENKES/SK/XII/2010 tentang Standar Antropometri Penilaian Status Gizi Anak*. Jakarta: Kementerian Kesehatan RI.
- Dewey KG (2016). Reducing stunting by improving maternal, infant and young child nutrition in regions such as South Asia: Evidence, challenges and opportunities. *Maternal & Child Nutrition*, 12(1):27-38.
- Dewey KG and Mayers DR (2011). Early child growth: how do nutrition and infection interact?. *Matern Child Nutr*, 3: 129-42.
- Dewey KG dan Adu-Afarwuah S (2008). Systematic review of the efficacy and effectiveness of complementary feeding interventions in developing countries. *Maternal & Child Nutrition*, 4(1): 24-85.
- Emawati F, Prihatini M, Yuriestia A (2016). The profile of vegetable – Animal protein consumption of stunting and underweight children under five years old in Indonesia. *Penelitian Gizi dan Makanan*, 39(2): 95-102.

- Engebretsen IM, Jackson D, Fadnes LT, Nankabirwa V, Diallo AH, Doherty T, Lombard C, et al (2014). Growth effects of exclusive breastfeeding promotion by peer counsellors in Sub-Saharan Africa: The cluster-randomised PROMISE EBF trial. *BMC Public Health*, 14: 633.
- Fikadu T, Assegid S, Dube L (2014). Factors associated with stunting among children of age 24 to 59 months in Meskan district, Gurage Zone, South Ethiopia: A case-control study. *BMC Public Health*, 14: 800.
- Gilbert C (2013). What is vitamin A and why do we need it? *Community Eye Health*, 26(84):65.
- Habibzadeh H, Jafarizadeh H, Didarloo A (2016). Determinants of failure to thrive (FTT) among infants aged 6-24 months: a case-control study. *Journal of Preventive Medicine and Hygiene*. 56 (4): e180-e186.
- Hayati AW (2013). *Faktor-Faktor Risiko Stunting, Pola Konsumsi Pangan, Asupan Energi dan Zat Gizi Anak 0-23 Bulan*. Institut Pertanian Bogor, Tesis.
- Hendrayati (2015). Analysis of determinant factors in stunting children aged 12 to 60 months. *Biochem Physiol*, 5: 9.
- Humphrey JH (2009). Child undernutrition, tropical enteropathy, toilets, and handwashing. *The Lancet*, 374(9694): 1032-1035.
- Huong NT (2014). Birth weight and growth during the first two years of life: a study in urban and rural Vietnam. *Nordic School of Public Health NHV*, 65: 2.
- Iannotti LL, Dulience SJL, Green J, Joseph S, François J, Anténor ML, Lesorogol C, et al (2014). Linear growth increased in young children in an urban slum of Haiti: A randomized controlled trial of a lipid-based nutrient supplement. *The American Journal of Clinical Nutrition*, 99(1): 198-208.
- Imdad A dan Bhutta ZA (2011). Effect of preventive zinc supplementation on linear growth in children under 5 years of age in developing countries: A meta-analysis of studies for input to the lives saved tool. *BMC Public Health*, 11(3): 22.

- Institute of Medicine (2006). *Dietary Reference Intakes: The Essential Guide to Nutrient Requirements*. Washington DC: National Academy Press.
- Johnson W dan Moore S (2016). Adolescent pregnancy, nutrition, and health outcomes in low- and middle-income countries: What we know and what we don't know. *Bjog*, 123(10):1589-1592.
- Kementrian Kesehatan (2017). *Buku saku pemantauan status gizi tahun 2017*. Jakarta: Kementrian Kesehatan RI.
- Kementrian Kesehatan (2018). *Panduan Kegiatan Peringatan Hari Gizi Nasional Ke – 58 Tahun 2018*. Jakarta: Kementrian Kesehatan RI.
- Keusch GT, Fontaine O, Bhargava A, Pinto CB, Bhutta ZA, Gotuzzo E, Rivera J, et al (2006). *Disease Control Priorities in Developing Countries*. 2nd ed. New York: Oxford University Press, pp: 371–388.
- Kumar Adan Singh VK (2015). A study of exclusive breastfeeding and its impact on nutritional status of child in EAG states. *Journal of Statistics Applications & Probability*, 4 (3): 435–445.
- Kusuma KE (2013). *Faktor Risiko Kejadian Stunting pada Anak Usia 2-3 Tahun (Studi di Kecamatan Semarang Timur)*. Diponegoro University. Mini Thesis.
- Kyu HH, Georgiades K, Boyle MH (2009). Maternal smoking, biofuel smoke exposure and child height-for-age in seven developing countries. *International Journal of Epidemiology*, 38(5): 1342-1350.
- Leroy JL, Ruel M, Habicht JP, Frongillo EA (2014). Linear growth deficit continues to accumulate beyond the first 1000 days in low- and middle-income countries: Global evidence from 51 national surveys. *The Journal of Nutrition*, 144(9): 1460-1466.
- Lestari ED (2018). Manajemen nutrisi pada stunting. *Pediatric Clinical Updates in Daily Practices*. Surakarta: Divisi Nutrisi dan Penyakit Metabolik KSM Ilmu Kesehatan Anak FK UNS.

- Lopriore C, Dop MC, Solal-Célyny A, Lagnado G (2007). Excluding infants under 6 months of age from surveys: Impact on prevalence of pre-school undernutrition. *Public Health Nutrition*, 10(1): 79-87.
- Machisa M, Wichmann J, Nyasulu PS (2013). Biomass fuel use for household cooking in Swaziland: is there an association with anaemia and stunting in children aged 6–36 months?. *Transactions of The Royal of Tropical Medicine and Hygiene*, 107(9): 535-544.
- Mangani C, Maleta K, Phuka J, Cheung YB, Thakwalakwa C, Dewey K, Manary M, et al (2016). Effect of complementary feeding with lipid-based nutrient supplements and corn-soy blend on the incidence of stunting and linear growth among 6- to 18-month-old infants and children in rural Malawi. *National Library of Medicine*, 11(4): 132-143.
- McAuliffe C, Zwickey H, Connelly E (2011). Gender differences in childhood stunting in southwestern Tanzania. *The FASEB Journal*. 25: 1.
- Mendes MSF, Villamor E, Velasquez MG, Vikhbladh I, Saxtrup O (2014). Association of maternal and child nutritional status in Brazil: A population based crosssectional study. *PLoS ONE*, 9(1): e87486. Doi: 10.1371/journal.pone.0087486.
- Millward DJ (2017). Nutrition, infection and stunting: the roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. *Nutrition Research Reviews*, 30(1): 50-72.
- Millward J (2017). Nutrition, infection and stunting: the roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. *Nutrition Research Reviews*, 30: 50-72.
- Monden CW dan Smits J (2009). Maternal height and child mortality in 42 developing countries. *American Journal of Human Biology*, 21(3): 305-311.
- Murray CJL, Vos T, Lozano R, Naghavi M, Flaxman AD, Michaud C, Lopez AD (2012). Disability adjusted life years (DALYs) for 291 diseases and injuries in

21 regions, 1990-2010: a systemic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859): 2197-2223

Mushtaq MU, Gull S, Khurshid U, Shahid U, Shad MA, Siddiqui AM (2011). Prevalence and socio-demographic correlates of stunting and thinness among Pakistani primary school children. *BMC Public Health*, 11:790.

Muthayya S, Rah JH, Sugimoto JD, Roos FF, Kraemer K, Black RE (2013). The global hidden hunger indices and maps: An advocacy tool for action. *PloS ONE*, 8(6): e67860.

National Institute of Population Research and Training, Mitra and Associates, ICF International (2013). *Bangladesh Demographic and Health Survey 2011*. Dhaka: National Institute of Population Research and Training.

Onayade AA, Abiona TC, Abayomi IO, Makanjuola (2004). The first six month growth and illness of exclusively and non-exclusively breast-fed infants in Nigeria. *East African Medical Journal*, 81(3): 146-153

Otterbach S and Rogan M (2017). *Spatial Differences in Stunting and Household Agricultural Production in South Africa: (Re-)Examining the Links Using National Panel Survey Data*. University of Hohenheim: IZA.

Otterbach S dan Rogan M (2017). Spatial differences in stunting and household agricultural production in South Africa:(Re-)examining the links using national panel survey data. *Hohenheim Discussion Papers in Business, Economics and Social Sciences*. Germany: University of Hohenheim, pp: 8-14.

Peinado DMC dan Bedriñan JIC (2013). Comparison of NCHS-1977, CDC-2000 and WHO-2006 Nutritional Classification in 32 to 60 month-old Children in the Central Highlands of Peru (1992-2007). *Universal Journal of Public Health*, 1(3): 143–149.

- Permadi MR, Hanim D, Kusnandar, Indiarto D (2016). Risiko inisiasi menyusu dini dan praktek ASI eksklusif terhadap kejadian stunting pada anak 6-24 bulan. *Penel Gizi Makan*, 39(1): 9-141
- Pongcharoen T, Ramakrishnan U, DiGirolamo AM, Winichagoon P, Flores R, Singkhonard J, Martorell R (2012). Influence of prenatal and postnatal growth on intellectual functioning in school-aged children. *Arch Pediatr Adolesc Med*, 166(5):411–416.
- Population Reference Bureau (2009). *Birth Spacing and Childhood Undernutrition*. Population Reference Bureau <https://www.prb.org/birthspacing/> - Diakses Mei 2018.
- Prawirohartono EP, Nurdiati DS, dan Hakimi M (2016). Prognostic factors at birth for stunting at 24 months of age in rural Indonesia. *Paediatrica Indonesiana*, 56(1): 48-56
- Prendergast AJ dan Humphrey JH (2014). The stunting syndrome in developing countries. *Paediatrics and International Child Health*, 34(4): 250–265.
- Prendergast AJ, Rukobo S, Chesaakwa B, Mutasa K, Ntozini R, Mbuya MN, Jones A, et al (2014). Stunting is characterized by chronic inflammation in Zimbabwean infants. *PLoS ONE*, 9(2): e86928.
- Rahman M (2016). Association between order of birth and chronic malnutrition of children: A study of nationally representative Bangladeshi sample. *Cad. Saúde Pública*, 32(2):e00011215.
- RichardSA, BlackRE, Gilman RH, Guerrant RL, Kang G, Lanata CF, Mølbak K, et al (2013). Diarrhea in early childhood: Short-term association with weight and long-term association with length. *American Journal of Epidemiology*, 178(7): 1129–1138.
- Roberfroid D, Huybrechts L, Lanou H, Ouedraogo L, Henry MC, Meda N, Kolsteren P, et al (2012). Impact of prenatal multiple micronutrients on survival and

- growth during infancy: A randomized controlled trial. *The American Journal of Clinical Nutrition*, 95(4): 916-924
- Romans R, Pronyk M, Fanzo JC, Chen J, Palm CA, Nemser B, Muniz M et al (2011). Multisector intervention to accelerate reductions in child stunting: an observational study from 9 sub-Saharan African countries. *Am J Clin Nutr*, 94(6): 1632-42 doi: 10.3945/ajcn.111.020099.
- Samiak L dan Emeto TI (2017). Vaccination and nutritional status of children in Karawari, East Sepik Province, Papua New Guinea. *PLoS ONE*, 12(11):e0187796.
- Sartono (2014). *Hubungan Kurang Energi Kronis Ibu Hamil dengan Kejadian Stunting pada Anak Usia 6-24 Bulan di Kota Yogyakarta*. Gadjah Mada University, Mini Thesis.
- Save the Children (2012). *Nutrition in the First 1,000 Days State of the World's Mothers 2012*. London: Save the Children International.
- Schmidt MK, Muslimatun S, West CE, Schultink W, Gross R, Hautvast JG (2002) Nutritional status and linear growth of Indonesian infants in West Java are determined more by prenatal environment than by postnatal factors. *Journal of Nutrition*, 132(8): 2202-2207.
- Shrimpton R, Victors CG, de Onis M, Lima RC, Blössner M, Clugston G (2001). Worldwide timing of growth faltering: Implications for nutritional interventions. *Pediatrics*, 107(5): e75.
- Simondon KB, Costes R, Delaunay V, Diallo A, Simondon F (2001). Children's height, health and appetite influence mothers weaning decisions in rural Senegal. *International Journal of Epidemiology*, 30: 476-48
- Sinha B, Taneja S, Chowdury R, Mazumder S, Rongsen-Chandola T, Upadhyay RP, Martines J (2017). Low-birthweight infants born to short-stature mothers are

- at additional risk of stunting and poor growth velocity: Evidence from secondary data analyses. *Wiley Maternal & Child Nutrition*, 14: e12504.
- Sinha B, Taneja S, Chowdury R, Mazumder S, Rongsen-Chandola T, Upadhyay RP, Martines J (2017). Low-birthweight infants born to short-stature mothers are at additional risk of stunting and poor growth velocity: Evidence from secondary data analyses. *Wiley Maternal & Child Nutrition*, 14: e1254
- Sobrino M, Gutierrez C, Alarcon J, Davila M, Cunha AJ (2016). Birth interval and stunting in children under five years of age in Peru (1996–2014). *Child: Care, Health and Development*, 43(1).
- Soliman AT, De Sanctis V, Kalra S. Anemia and growth. Indian. *Journal of Endocrinology and Metabolism*. 18(1):S1-S5.
- Sulloway FJ (1996). *Born to rebel: birth order, family dynamics, and creative lives*. New York: Pantheon Books.
- Sutiari NK dan Wulandari DAR (2011). Hubungan status gizi waktu lahir dengan pertumbuhan dan perkembangan anak usia sekolah di Desa Peguyang Kota Denpasar. *Jurnal Ilmu Gizi*, 2: 109-117
- Tim Nasional Percepatan Penanggulangan Kemiskinan (2017). *100 Kabupaten/Kota Prioritas untuk Intervensi Anak Kerdil (Stunting)*. Jakarta Pusat: TNP2K.
- Trimukti WY, Huang YW, Amini A (2017). Affecting factors of stunting incidences among children aged 12-59 months in West Nusa Tenggara Province Indonesia. *Journal of Healthcare Communications*, 2(4): 45.
- Udoh EE dan Amodu OK (2016). Complementary feeding practices among mothers and nutritional status of infants in Akpabuyo Area, Cross River State Nigeria. *Springerplus*, 5(1): 2073.
- UNICEF (2016). *About WASH*. United Nations Children's Fund. [https://www.unicef.org/wash/3942\\_3952.html](https://www.unicef.org/wash/3942_3952.html) - Diakses Mei 2018.
- Villar J, Papageorgiou AT, Pang R, Ohuma EO, Cheikh IL, Barros FC, Lamber A, et al (2014). The likeness of fetal growth and newborn size across non-

- isolated populations in the INTERGROWTH-21st Project: the Fetal Growth Longitudinal Study and Newborn Cross-Sectional Study. *The Lancet Diabetes & Endocrinology*, 2(10): 781–792.
- Vollmer S, Bommer C, Krishna A, Harttgen K, Subramanian S (2017). The association of parental education with childhood undernutrition in low- and middle-income countries: Comparing the role of paternal and maternal education. *International Journal of Epidemiology*. 46(1):312-323.
- Walker SP, Chang SM, Powell CA, Simonoff E, Grantham-McGregor SM (2007). Early childhood stunting is associated with poor psychological functioning in late adolescence and effects are reduced by psychosocial stimulation. *JN The Journal of Nutrition*, 137 (11): 2464–2469.
- Wamani H, Åström AN, Peterson S, Tumwine JK, Tylleskär T (200&). Predictors of poor anthropometric status among children under 2 years of age in rural Uganda. *Public Health Nutrition*, 9(3): 320–326.
- WHO (2014). *WHA global nutrition targets 2025: Stunting policy brief*. Geneva: WHO Press.
- WHO (2016). *Complementary Feeding*. World Health Organization. [http://www.who.int/nutrition/topics/complementary\\_feeding/en/](http://www.who.int/nutrition/topics/complementary_feeding/en/) - Diakses Mei 2018.
- Yu SH, Mason J, Crum J, Cappa C, Hotchkiss DR (2016). Differential effects of young maternal age on childgrowth. *Global Health Action*, 9: 31171.