

DAFTAR PUSTAKA

- Acton, Q.A. (2013). *"Advances in Biomedical Engineering Research and Application: 2013 Edition"*. Scholarly Editions : Atlanta.
- Almarza, A.J., Holmes, J. A., Chung, W. L., dan Henderson, S. E. (2014). "Biodegradable, Magnesium-containing bone screws, methods for their preparation and medical applications therefor." U.S. Patent Application No. 14/185,007 <https://www.google.com/patents/US20140243911>
- Allen, O.R., Knox, R.J., dan McGowan, P.C. (2008). "Functionalised cyclopentadienyl zirconium compounds as potential anticancer drugs," *Dalton Transactions*, no. 39, pp. 5293–5295. DOI: 10.1039/b812244j
- Athanasiou, K.A., Zhu, C., Lanctot, D.R., Agrawal, C.M., dan Wang, X. (2000). "Fundamentals of biomechanics in tissue engineering of bone". *Tissue Engineering*, 6, 361–381, Published in Volume: 6 Issue 4: July 9, 2004. DOI:10.1089/107632700418083
- Bachoura, A., Yoshida, R., Lattermann, C., dan Kamineni, S. (2012). "Late removal of titanium hardware from the elbow is problematic". *ISRN Orthopedics* 2012. DOI:10.5402/2012/256239
- Behanzin, A., Dellasant, B., Pizzimenti, C., Biliar, C., Dunn, R. (2013). Design of a Sternal Fixation Device and Bicortical Bone Model. The Faculty of Worcester Polytechnic Institute
- Bohner, M. (2010). Resorbable biomaterials as bone graft substitutes. *Materials Today*, 13(1), 24-30. dx.doi.org/10.1016/S1369-7021(10)70014-6
- Bresciani, E., Barata, T., Fagundes, T. C., Adachi, A., Terrin, M. M. dan Navarro, M. F. 2004. "Compressive and Diametral Tensile Strength of Glass Ionomer Cements". *Journal of Minimum Intervention In Dentistry*. ISSN 1678-7765.DOI: 10.1590/S1678-77572004000400017
- Christensen, F.B., Dalstra, M., Sejling, F., Overgaard, S., dan Bunger, C. (2000). "Titanium-alloy enhances bone-pedicle screw fixation: Mechanical and histomorphometrical results of titanium-alloy versus stainless steel". *Eur. Spine J.*, 9, 97–103. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3611362>
- Cross, N. (1994). *"Engineering Design Methods : Strategies For Product Design 2nd Edition"*. Chichester : John Wiley and Sons Ltd

- Dewi, S.U., (2009). Pembuatan Komposit Kalsium Fosfat Kitosan dengan Metode Sonikasi. Tesis Sekolah Pascasarjana Institut Pertanian Bogor.
- Driessens, F.C. (1980)."Probable phase composition of the mineral in bone". Z. Naturfor. Sect. C, 35, 357–362.
- Driessens, F.C, van Dijk, J.W., dan Borggreven, J.M. (1978). "Biological calcium phosphates and their role in the physiology of bone and dental tissues I. Composition and solubility of calcium phosphates". Calcif. Tissue Res., 26, 127–137
- Doenges, M.E., (1999). *Rencana Asuhan Keperawatan Untuk Perencanaan dan Pendokumentasian Perawatan Pasien, (Edisi 3), (Alih Bahasa 1 Made Kriase)*. Jakarta: EGC.
- FDA. (2002). HBSTM Headless Bone Screw. Diakses dari accessdata.fda.gov
- Ferroceramic. (2012). Mechanical Properties of Zirconia. Tersedia ferroceramic.com
- Hui, P., Meena, S.L., Singh, G., Agarwal, R.D., dan Prakash, S., (2010). "Synthesis of Hydroxyapatite Bio-Ceramic Powder by Hydrothermal Method". *Journal of Minerals & Materials Characterization & Engineering*, Vol. 9, No.8, pp.683-692, India. jmmce.org
- Gunatillake, P.A, dan Adhikari, R. (2003). "Biodegradable Synthetic Polymers For Tissue Engineering". *European Cells and Materials Vol. 5. 2003 (pages 1-16)* ISSN 1473-2262. <http://www.ecmjournal.org/journal/papers/vol005/vol005a01.php>
- Golenko, A. (2010). *Fundamentals of Machine Design A Coursebook for Polish and Foreign Students*. Wrocław: Politechnika Wrocławskiego
- Gruber, P., Bruckner, D., Hellmich, C., Schmiedmayer, H. B., Stachelberger, H., dan Gebeshuber, I. C. (Eds.). (2011). *Biomimetics--Materials, Structures and Processes: Examples, Ideas and Case Studies*. Berlin/New York: Springer.
- Gu, Y.W., Yap, A.U., Cheang, P., Khor, K.A. (2005). Effects of incorporation of HA/ZrO₂ into glass ionomer cement (GIC). *Biomaterials*;26:713-20. dx.doi.org/10.1016/j.biomaterials.2004.03.019
- Gunawarman, Malik, A., Mulyadi, S., Riana, dan Hayani, A. (2010). Karakteristik Fisik dan Mekanik Tulang Sapi Variasi Berat Hidup sebagai Referensi Desain Material Implan. Seminar Nasional Tahunan Teknik Mesin (SNMTTM) ke9

Hirschmann, M.T., Adler, T., Rasch, H., Hugli, R.W., Friederich, N.F., dan Arnold, M.P. (2010). Painful knee joint after ACL reconstruction using biodegradable interference screws- SPECT/CT a valuable diagnostic tool? A case report. Sports medicine, arthroscopy, rehabilitation, therapy & technology: SMARTT.;2:24. DOI: 10.1186/1758-2555-2-24

Imgrund, P. (2010). Bone-hard biomaterial Research. Tersedia di www.fraunhofer.de [20 November 2015]

Irawan, A.P. (2009) *Diktat Elemen Mesin*. Fakultas Teknik Mesin Universitas Tarumanagara

Ivankovic, H., Orlic, S., Kranzelic, D., Tkalcec, E. (2010). Highly Porous Hydroxyapatite Ceramics for Engineering Applications. *Advances in Science and Technology Vol. 63* pp 408- 413, Switzerland. DOI:10.4028

Jarvela, T., Moisala, A.S., Sihvonen, R., Jarvela, S., Kannus, P., Jarvinen, M. (2008). Double-bundle anterior cruciate ligament reconstruction using hamstring autografts and bioabsorbable interference screw fixation: prospective, randomized, clinical study with 2-year results. *Am J Sports Med.*;36(2):290–297. DOI: 10.1177/0363546507308360

Joko, S., dan Tontowi, A.E. (2008). *Proses Sintesis dan Karakteristik FTIR Hidroksiapatit dari Gipsum Alam Kulon Progo*. Teknik Mesin dan Industri UGM ,Teknik Mesin Sekolah Pasca Sarjana UGM dan Teknik Mesin UMS. Tersedia di www.researchgate.net/publication/281650038

Klsmartin. (2011). Catalog Bone Screw. Tersedia klsmartin.com

Lim, K.F, Muchtar, A., Mustaffa, R. dan Tan, C.Y. (2014). Synthesis and Characterization of Hydroxyapatite-Zirconia Composites for Dental Applications. *Asian Journal of Scientific Research*, 7: 609-615. DOI: 10.3923

Mehmood, S., Ansari, U., Ali, M.N., dan Rana, N.F. (2014). Internal fixation: An evolutionary appraisal of methods used for long bone fractures. ISSN 2229-3809: IJBABN.DOI: 10.7439

Malik, S.S. dan Malik, S.S. (2015). *Orthopaedic Biomechanics Made Easy*. London: Cambridge University Press, ISBN 9781107360563

Mulyaningsih, N.N. (2007). Karakterisasi Hidroksiapatit Sintetik dan Alami pada Suhu 1400°C . Skripsi. Bandung : Bogor.

- Noor, Z. (2013). Nanohydroxyapatite Application to Osteoporosis Management. *Journal of Osteoporosis*, vol. 2013. doi:10.1155/2013/679025
- Orlovskii, V. P., Komlev, V. S., & Barinov, S. M. (2002). Hydroxyapatite and hydroxyapatite-based ceramics. *Inorganic Materials*, 38(10), 973-984. doi:10.1023/A:1020585800572
- Ortopedi. (2015). Buletin Orthopaedi Indonesia Edisi 3 Maret 2015. Tersedia di indonesia-orthopaedic.org/images/xplod/editor/edisi-3.pdf
- Prasetyo, W.B. (2011). *Penatalaksanaan Fisioterapi pada Paska Operasi Pelepasan Plate and Screw pada Fraktur Sepertiga Proximal Ulna Dextra di RST Dr Soedjono Magelang*. Skripsi thesis, Universitas Muhammadiyah Surakarta
- Qulub, F., Widiyanti, P., dan Ady, J. (2016). Synthesis and Characterization of Composite Poly(1,8 Octanediol-co-Citrate) (POC)/Nano-Hydroxyapatite as Candidate Biodegradable Bone Screw. *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, Vol. 27, pp. 36-43. DOI: 10.4028
- Rizkiyani, A.A. (2008). *Pengaruh Kadar Grafit Terhadap karakteristik Komposit Aluminium Grafit dengan Wetting Agent Tembaga*. Jakarta: Departemen Teknik Metalurgi dan Material FT Universitas Indonesia.
- Ruiz, S.G., Ivanić, D.M., Mijatović, S., dan Kaluđerović, G.N. (2012). “On the Discovery, Biological Effects, and Use of Cisplatin and Metallocenes in Anticancer Chemotherapy.” *Bioinorganic Chemistry and Applications*, vol. 2012. DOI: 10.1155/2012/140284
- Samuelson, D.A. (2007). Textbook of Veterinary Histology. *Saunders Elsevier. St Louis, Missou*
- Sheikh, Z. Najeeb, S., Khurshid, Z., Verma, V., Rashid, H., dan Glogauer, M. (2015). Biodegradable Materials for Bone Repair and Tissue Engineering Applications. *Open access journal MDPI, Materials 2015*, 8(9), 5744-5794 DOI:10.3390/ma8095273
- Schaschke, C., dan Audic, J.L. (2014). Editorial: Biodegradable materials. *Int. J. Mol. Sci.*, 15, 21468–21475. DOI: 10.3390/ijms151121468
- Shackelford, J. F., dan Doremus, R. H. (2008). *Ceramic and Glass Materials. Structure, Properties and Processing*. Springer.

- Sörensen, J.H., Dürselen, L., Welch, K., Sörensen, T.C., Procter, P., Engqvist, H., Strømme M., Ignatius, A., Steckel1, H. (2015). Biomimetic Hydroxyapatite Coated Titanium Screws Demonstrate Rapid Implant Stabilization and Safe Removal In-Vivo. *Journal of Biomaterials and Nanobiotechnology*, 2015, 6, 20-35. dx.doi.org /10.4236/jbnb.2015.61003
- Surendranathan, A.O. (2014). *An Introduction to Ceramics and Refractories*. New York : CRC Press, ISBN 13:978-1-4822-2045-2
- Tanaka, H., Yamamoto, A., Shimoyama, J., Ogino, H., dan Kishio, K. (2012). Strongly connected ex situ MgB₂ polycrystalline bulks fabricated by solid-state self-sintering. *Published 10 October 2012, IOP Publishing Ltd Superconductor Science and Technology, Volume 25, Number 11*. DOI: 10.1088/0953-2048/25/11/115022
- Tevlin, R., McArdle, A., Atashroo, D., Walmsley, G.G., Senarathypa, K.; Zielins, E.R., Paik, K.J., Longaker, M.T. dan Wan, D.C. (2014). Biomaterials for craniofacial bone engineering. *J. Dent. Res.*, 93, 1187–1195. DOI: 10.1177/0022034514547271.
- Ullman, D. G. (2003). *The mechanical design process*. McGraw-Hill Science/Engineering/Math.
- Wouters, D.B., Dehossen, J.Th.M., dan Bos, R.R.M. (2008). Should in the treatment of Osteochondritis Dissecans biodegradable or metallic fixation devices be used? A comparative study in goat knees. *J Biomed Mater Res B Appl Biomater* ;84(1):154 – 164. DOI:10.1002/jbm.b.30857
- Wismanto. (2014). Gangguan Mobilitas Sendi, Fungsi Motorik, Kinerja Otot dan ROM Akibat Patologi Fraktur Olecranon.Tersedia di esaunggul.ac.id [20 November 2016]
- Wallis, D., Claffey, J., Gleeson, B., Hogan, M, Bunz, H.M., dan Tacke, M. (2009). Novel zirconocene anticancer drugs?. *Journal of Organometallic Chemistry*. vol. 694, no. 6. pp. 828–833. DOI: 10.1016 /j.jorgchem.2008.08.020
- Wirtz, D. C., Schifflers, N., Pandorf, T., Radermacher, K., Weichert, D., dan Forst, R. (2000). Critical evaluation of known bone material properties to realize anisotropic FE-simulation of the proximal femur. *Journal of biomechanics*, 33(10), 1325-1330.
- Yang, M. C. (2005). A study of prototypes, design activity, and design outcome. *Design Studies*, 26(6), 649-669.

- Yaszemski, M.J., Payne, R.G., Hayes, W.C., Langer, R., dan Mikos, A.G. (1996). Evolution of bone transplantation: Molecular, cellular and tissue strategies to engineer human bone. *Biomaterials*, 17, 175–185. DOI: 10.1016/0142-9612(96)85762-0
- Yin, L., Song, X.F., Song, Y.L., Huang, T., dan Li, J. (2006). An overview of in vitro abrasive finishing & CAD/CAM of bioceramics in restorative dentistry. *Int J Machine Tools Manufacture* 46:1013-1026. DOI: 10.1016 /j.ijmachtools.2005.07.045
- Yeung, K.W., dan Wong, K.H. (2012). Biodegradable metallic materials for orthopaedic implantations: A review. *Technol. Health Care*, 20, 345–362. DOI: 10.3233
- Yuliastomo, R.D. (2015). Optimasi Multirespon Menggunakan Metode Taguchi, PCR-TOPSIS dan Algoritma Genetika (Studi Kasus: Optimasi Kekuatan Tarik Diametral dan Densitas Relatif Biokomposit PMMA- Zirconia). Skripsi. Universitas Sebelas Maret Surakarta : Surakarta.
- Zimmer. (2015). Zimmer® Herbert™ Cannulated Bone Screw. Tersedia di www.zimmer.com [12 Desember 2015]
- Zanetti, E.M., Salaorno, M., Grasso, G., dan Audenino, A.L. (2009). “Parametric Analysis of Orthopedic Screws in Relation to Bone Density”. *Open Med Inform J.* 2009; 3: 19–26. Published online 2009 Apr 21. PMCID: PMC2705136
- Zhang, X., Zhu, L., Lv, H., Cao, Y., Liu, Y., Xu, Y., Ye, W. dan Wang, J. (2012). Repair of rabbit femoral condyle bone defects with injectable nanohydroxyapatite/chitosan composites. *Journal of Materials Science: Materials in Medicine*, 23(8), 1941-1949. doi:10.1007/s10856-012-4662-y