

## DAFTAR PUSTAKA

- Abramson, L. Y., Seligman, M. E. and Teasdale, J. D. (1978) 'Learned helplessness in humans: Critique and reformulation.', *Journal of Abnormal Psychology*, 87(1), pp. 49–74. doi: 10.1037/0021-843X.87.1.49.
- Adjaye-Gbewonyo, K. et al. (2016) 'Income inequality and depressive symptoms in South Africa: A longitudinal analysis of the national income dynamics study', *Health and Place*. Elsevier, 42, pp. 37–46. doi: 10.1016/j.healthplace.2016.08.013.
- Allen, J. et al. (2017) 'Social determinants of mental health', *Global Mental Health: Prevention and Promotion*, 26(May), pp. 33–46. doi: 10.1007/978-3-319-59123-0\_4.
- Amare, A. T. et al. (2017) 'The genetic overlap between mood disorders and cardiometabolic diseases: A systematic review of genome wide and candidate gene studies', *Translational Psychiatry*. Nature Publishing Group, 7(1), pp. e1007-12. doi: 10.1038/tp.2016.261.
- American Heart Association (2016) *Limiting Alcohol to Manage High Blood Pressure*. Available at: <https://www.heart.org/en/health-topics/high-blood-pressure/changes-you-can-make-to-manage-high-blood-pressure/limiting-alcohol-to-manage-high-blood-pressure>.
- American Physiological Society (2017) *Chronic estrogen exposure linked to high blood pressure*, ScienceDaily. Available at: [www.sciencedaily.com/releases/2011/05/110526114533.htm](http://www.sciencedaily.com/releases/2011/05/110526114533.htm) (Accessed: 11 November 2019).
- Andria, K. M. (2013) 'Hubungan Antara Perilaku Olahraga, Stress dan Pola Makan dengan Tingkat Hipertensi pada Lanjut Usia di Posyandu Lansia Kelurahan Gebang Putih Kecamatan Sukolilo Kota Surabaya', *Jurnal Promkes*, 1(2), pp. 111–117. doi: 10.1109/ISSSTA.2008.47.
- Arifin, M., IW, W. and Ratnawati, N. (2016) 'Faktor - Faktor Yang Berhubungan Dengan Kejadian Hipertensi Pada Kelompok Lanjut Usia di Wilayah Kerja UPT Puskesmas Petang I Kabupaten Badung Tahun 2016', *E-Jurnal Medika*, 5(7).
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Indonesia (2019) *Hasil Utama Riskesdas 2018*.
- Bernaras, E., Jaureguizar, J. and Garaigordobil, M. (2019) 'Child and Adolescent Depression: A Review of Theories, Evaluation Instruments, Prevention Programs, and Treatments', *Frontiers in Psychology*, 10(March). doi: 10.3389/fpsyg.2019.00543.
- Bowlby, J. (1976) *Attachment and Loss (II). La Separación Aflectiva*. Buenos Aires: Paidós.
- Bowlby, J. (1988) 'Developmental psychiatry comes of age', *Am. J. Psychiatry*, 145, pp. 1–10. doi: 10.1176/ajp.145.1.1.

- Byrne, M. L. *et al.* (2010) 'Autonomic cardiac control in depressed adolescents', *Depression and Anxiety*, 27(11), pp. 1050–1056. doi: 10.1002/da.20717.
- Chee, K. Y. *et al.* (2015) 'Country variations in depressive symptoms profile in Asian countries: Findings of the Research on Asia Psychotropic Prescription (REAP) studies', *Asia-Pacific Psychiatry*, 7(3), pp. 276–285. doi: 10.1111/appy.12170.
- Chmielewski, J. and Carmody, J. (2017) 'Dietary sodium, dietary potassium, and systolic blood pressure in US adolescents.', *J Clin Hypertens (Greenwich)*, 19(9), pp. 904–999.
- Chulani, V. L. and Gordon, L. P. (2014) 'Adolescent Growth and Development', *Primary Care - Clinics in Office Practice*. Elsevier Inc, 41(3), pp. 465–487. doi: 10.1016/j.pop.2014.05.002.
- Crookes, D. *et al.* (2018) 'Depressive Symptoms, Antidepressant Use, and Hypertension in Young Adulthood', *Epidemiology*, 29(4), pp. 547–555.
- Damaiyanti, M. (2016) 'Prevalence and predictors of depression among high school students in Indonesia', *Journal of Nursing Science and Health*, 39(1).
- Daniel T., L. (2014) 'Racial differences in hypertension: Implications for high blood pressure management', *American Journal of the Medical Sciences*, 348(2), pp. 135–138.
- Dean, J. and Keshavan, M. (2017) 'The neurobiology of depression: an integrative view', *Asian J. Psychiatr*, 27, pp. 101–111. doi: 10.1016/j.ajp.2017.01.025.
- Dietz, L. J. and Matthews, K. A. (2011) 'Depressive symptoms and subclinical markers of cardiovascular disease in adolescents', *Journal of Adolescent Health*. Elsevier Inc., 48(6), pp. 579–584. doi: 10.1016/j.jadohealth.2010.09.001.
- Ebrahimi, H. *et al.* (2018) 'Prevalence of prehypertension and hypertension and its risk factors in Iranian school children: a population-based study', *J Hypertens*, 36(9), pp. 1816–1824.
- Ernawati, N. (2017) *Pengaruh Motivasi Belajar, Status Sosial Ekonomi Orangtua, dan Lingkungan Sekolah terhadap Prestasi Belajar Mata Pelajaran Aktiva Tetap Siswa Kelas XI Akuntansi SMK YPKK 2 Sleman Tahun Ajaran 2016/2017*. Universitas Negeri Yogyakarta.
- Flynn, J. T. *et al.* (2017) 'Clinical Practice Guideline for Screening and Management of High Blood Pressure in Children and Adolescents', *Pediatrics*, 140(3), p. e20171904. doi: 10.1542/peds.2017-1904.
- Forouzanfar, M. H. *et al.* (2017) 'Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015', 317(2), pp. 165–182. doi: 10.1001/jama.2016.19043.
- Frese, E., Fick, A. and Sadowsky, H. (2011) 'Blood Pressure Measurement Guidelines for Physical Therapists', *Cardiopulm Phys Ther J*, 22(2), pp. 5–12.

- Gaysina, D. *et al.* (2015) ‘Pubertal maturation and affective symptoms in adolescence and adulthood: Evidence from a prospective birth cohort’, *Development and Psychopathology*, 27(4pt1), pp. 1331–1340. doi: 10.1017/s0954579414001448.
- Hall, J. E. and Guyton, A. C. (2016) *Guyton and Hall Textbook of Medical Physiology*. 11th editi. Philadelphia, USA: Elsevier Inc.
- Halser, G. (2010) ‘Pathophysiology of depression : do we have any solid evidence of interest to clinicians?’, *World Psychiatry*, 9, pp. 155–161.
- Hansen, M., Gunn, P. and Kaelber, D. (2007) ‘Underdiagnosis of hypertension in children and adolescents’, *JAMA*, 298, pp. 874–879.
- Herane-Vives, A. *et al.* (2018) ‘Elevated fingernail cortisol levels in major depressive episodes.’, *Psychoneuroendocrinology*, 88, pp. 17–23. doi: 10.1016/j.psyneuen.2017.10.026.
- Hovi, P. *et al.* (2016) ‘Blood Pressure in Young Adults Born at Very Low Birth Weight: Adults Born Preterm International Collaboration’, *Hypertension*, 68(4), pp. 880–887.
- Husain, K., Ansari, R. and Ferder, L. (2014) ‘Alcohol-induced hypertension: Mechanism and prevention’, *World J Cardiol*, 6(5), pp. 245–252.
- Jensen, B. B. *et al.* (2013) ‘Early years , family and education task group : report– European review of social determinants of health and the health divide in the WHO European Region ’, p. 59.
- Jones, J. E. *et al.* (2012) ‘Mechanisms of Fetal Programming in Hypertension’, *International Journal of Pediatrics*, 2012, pp. 1–7. doi: 10.1155/2012/584831.
- Kabutoya, T. and Kario, K. (2015) ‘Depression in hypertension and blood pressure variability over shorter time periods’, *Hypertension Research*. Nature Publishing Group, 38(11), pp. 713–715. doi: 10.1038/hr.2015.92.
- Kaczmarek, M. *et al.* (2015) ‘Who is at higher risk of hypertension? Socioeconomic status differences in blood pressure among Polish adolescents: a population-based ADOPOLNOR study’, *Eur J Pediatr*, 174(11), pp. 1461–1473.
- Karatzi, K. *et al.* (2017) ‘Prevalence of hypertension and hypertension phenotypes by age and gender among schoolchildren in Greece: The Healthy Growth Study.’, *Atherosclerosis*, 259, pp. 128–133.
- Kiesner, J. (2017) ‘The menstrual cycle-response and developmental affective-risk model: A multilevel and integrative model of influence’, *Psychological Review*, 124(2), pp. 215–244. doi: 10.1037/rev0000058.
- Kim, M. H. *et al.* (2014) ‘Prevalence of depression and validation of the Beck Depression Inventory-II and the Children ’ s Depression Inventory-Short amongst HIV-positive adolescents in Malawi’, pp. 1–8.
- Kowalski, Corcker and Faulkner (1997) ‘Validation of the PA for children

- questionnaire’, *Pediatric Exercise Science*, 9, pp. 174–186.
- Kraus, C. et al. (2017) ‘Neuroscience and Biobehavioral Reviews Serotonin and neuroplasticity – Links between molecular , functional and structural pathophysiology in depression’, *Neuroscience and Biobehavioral Reviews*. Elsevier Ltd, 77, pp. 317–326. doi: 10.1016/j.neubiorev.2017.03.007.
- Kusumawaty, J., Hidayat, N. and Ginanjar, E. (2016) ‘Hubungan Jenis Kelamin dengan Intensitas Hipertensi pada Lansia di Wilayah Kerja Puskesmas Lakbok Kabupaten Ciamis’, *Mutiar Medika*, 16(2), pp. 46–51.
- Lacruz, M. E. et al. (2015) ‘Prevalence and Incidence of Hypertension in the General Adult Population’, 94(22), pp. 1–7. doi: 10.1097/MD.0000000000000952.
- Lee, P. and Wong, F. (2015) ‘The association between time spent in sedentary behaviors and blood pressure: a systematic review and meta-analysis’, *Sports Med*, 45(6), pp. 867–880.
- Lewinsohn, P. M. (1975) “Clinical and theoretical aspects of depression,” in *Innovative Treatment Methods of Psychopathology*. Edited by K. S. Calhoun, H. E. Adams, and K. M. Mitchell. New York, NY: Wiley.
- Li, Y. et al. (2015) ‘Joint association between birth weight at term and later life adherence to a healthy lifestyle with risk of hypertension: a prospective cohort study’, *BMC Med*, 13, p. 175.
- Liu, M. et al. (2017) ‘Association between pyschosocial stress and hypertension: a systematic review and meta-analysis’, *Neurol Res*, 39(6), pp. 573–580.
- Lule, S. A. et al. (2019) ‘Blood pressure risk factors in early adolescents: results from a Ugandan birth cohort’, *Journal of Human Hypertension*. Springer US. doi: 10.1038/s41371-019-0178-y.
- Lund, C. et al. (2010) ‘Poverty and common mental disorders in low and middle income countries: A systematic review’, *Social Science and Medicine*. Elsevier Ltd, 71(3), pp. 517–528. doi: 10.1016/j.socscimed.2010.04.027.
- Maatouk, I. et al. (2016) ‘Association of hypertension with depression and generalized anxiety symptoms in a large population-based sample of older adults.’, *J Hypertens*, 34(9), pp. 1711–20.
- Maiti, M. and Bandyopadhyay, L. (2017) ‘Variation in blood pressure among adolescent schoolchildren in an urban slum of Kolkata, West Bengal’, *Postgrad Med J*, 93(1105), pp. 648–652.
- Mannan, M. et al. (2016) ‘Is there a bi-directional relationship between depression and obesity among adult men and women? Systematic review and bias-adjusted meta analysis’, *Asian Journal of Psychiatry*. Elsevier B.V., 21, pp. 51–66. doi: 10.1016/j.ajp.2015.12.008.
- McNiece, K. et al. (2007) ‘Prevalence of hypertension and pre-hypertension among adolescents’, *J Pediatr*, 150, pp. 640–644.

- Meeus, W. (2016) 'Adolescent psychosocial development: A review of longitudinal models and research', *Developmental Psychology*, 52(12), pp. 1969–1993. doi: 10.1037/dev0000243.
- Narbona, J. (2014) 'Depressive phenomenology at the outset of neuropaediatric diseases', *Rev. Neurol.*, 58(Suppl. 1), pp. S71–S75.
- Oken, B. S., Chamine, I. and Wakeland, W. (2015) 'A systems approach to stress, stressors and resilience in humans', *Behavioural Brain Research*, 282, pp. 144–154. doi: 10.1016/j.bbr.2014.12.047.
- Pardede, S. O. and Sari, Y. (2016) 'Hipertensi pada Remaja', *Majalah Kedokteran UKI*, 32(1), pp. 30–40.
- Park, Y. S. et al. (2018) 'Association between secondhand smoke exposure and hypertension in never smokers: a cross-sectional survey using data from Korean National Health and Nutritional Examination Survey V, 2010–2012', *BMJ Open*, 8(5), p. e021217. doi: 10.1136/bmjopen-2017-021217.
- Peltzer, K. and Pengpid, S. (2018) 'High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour', *Asian Journal of Psychiatry*. Elsevier, 33(December 2017), pp. 52–59. doi: 10.1016/j.app.2018.03.017.
- Rakhmawati, I. N. (2013) *Perbedaan Usia Menarche Siswa SMP Ditinjau dari Etnis Jwa, Tionghoa dan Arab di Surakarta*. Universitas Sebelas Maret Surakarta.
- Sadock, B. A., Sadock, V. and Ruiz, P. (2015) *Kaplan & Sadock's Synopsis of Psychiatry*. 11th editi. Philadelphia, USA: Wolters Kluwer.
- Sastroasmoro, S. and Ismael, S. (2014) *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: CV. Sagung Seto.
- Sequeira, M. E. et al. (2017) 'Association of timing of menarche with depressive symptoms and depression in adolescence: Mendelian randomisation study', *British Journal of Psychiatry*, 210(1), pp. 39–46. doi: 10.1192/bjp.bp.115.168617.
- Sethna, C. et al. (2017) 'Blood Pressure and Visit-to-Visit Blood Pressure Variability Among Individuals With Primary Proteinuric Glomerulopathies', *Hypertension*, 70(2), pp. 315–323.
- Sherwood, L. (2016) *Human Physiology From Cells to Systems*. 9th edn, Cengage Learning.
- Silverthorn, D. U. (2013) *Human Physiology: An Integrated Approach*. 6th editio. USA: Pearson Education Inc. doi: 10.1017/CBO9781107415324.004.
- Sokratous, S. et al. (2013) 'The association between stressful life events and depressive symptoms among Cypriot university students: a cross-sectional descriptive correlational study.', *Bio. Med. Central Public Health*, 13, p. 1121. doi: 10.1186/1471-2458-13-1121.

- Song, Y. *et al.* (2017) ‘The combined effect of spermarche, menarche and obesity on elevated blood pressure among Chinese students’, *Zhonghua Yu Fang Yi Xue Za Zhi*, 51(4), pp. 306–312.
- Sorayah, S. (2015) ‘Uji Validitas Konstruk Beck Depression Inventory-II (BDI-II)’, *Jurnal Pengukuran Psikologi dan Pendidikan Indonesia*, IV(1), pp. 29–45.
- Teh, C. *et al.* (2015) ‘Association of physical activity with blood pressure and blood glucose among Malaysian adults: a population-based study’, *BMC Public Health*, 15, p. 1205.
- Theodore, R. *et al.* (2015) ‘Childhood to Early-Midlife Systolic Blood Pressure Trajectories: Early-Life Predictors, Effect Modifiers, and Adult Cardiovascular Outcomes’, *Hypertension*, 66(6), pp. 1108–1115.
- Vos, T. *et al.* (2016) ‘Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015’, *The Lancet*, 388(10053), pp. 1545–1602. doi: 10.1016/S0140-6736(16)31678-6.
- Waloszek, J. M. *et al.* (2015) ‘Early physiological markers of cardiovascular risk in community based adolescents with a depressive disorder’, *Journal of Affective Disorders*. Elsevier, 175, pp. 403–410. doi: 10.1016/j.jad.2015.01.008.
- Waloszek, J. M. *et al.* (2016) ‘Nocturnal indicators of increased cardiovascular risk in depressed adolescent girls’, *Journal of Sleep Research*, 25(2), pp. 216–224. doi: 10.1111/jsr.12360.
- Watts, S. *et al.* (2012) ‘Serotonin and Blood Pressure Regulation’, *Pharmacol Rev*, 64(2), pp. 359–388.
- Wen, W. *et al.* (2015) ‘Age-related progression of arterial stiffness and its elevated positive association with blood pressure in healthy people.’, *Atherosclerosis*, 238(1), pp. 147–152.
- Williams, B. *et al.* (2018) *2018 ESC/ESH Guidelines for the management of arterial hypertension: The Task Force for the management of arterial hypertension of the European Society of Cardiology and the European Society of Hypertension., European Heart Journal*. doi: 10.1097/HJH.
- World Health Organization (2012) ‘Depression: A global public health concern’, pp. 6–8. Available at: [http://www.who.int/mental\\_health/management/depression/who\\_paper\\_depression\\_wfmh\\_2012.pdf](http://www.who.int/mental_health/management/depression/who_paper_depression_wfmh_2012.pdf).
- World Health Organization (2017) ‘Depression and Other Common Mental Disorders’, *Cc By-Nc-Sa 3.0 Igo.*, (1), pp. 1–22. doi: CC BY-NC-SA 3.0 IGO.
- World Health Organization, W. (2018) ‘ICD-11 for mortality and morbidity

statistics', Retrieved June, 22, p. 2018. Available at:  
<https://icd.who.int/browse11/l-m/en#/http%3A%2F%2Fid.who.int%2Ficd%2Fentity%2F1563440232>  
(Accessed: 4 April 2019).

Zeng, C. and Jose, P. (2011) 'Dopamine Receptors: Important Antihypertensive Counterbalance Against Hypertension', *Hypertension*, 57, pp. 11–17.

Zhanzhan, L. et al. (2015) 'Prevalence of Depression in Patients With Hypertension: A Systematic Review and Meta-Analysis', *Medicine (Baltimore)*, 94(31), p. e1317.

Zunnur, N. H., Adrianto, A. and Basyar, E. (2017) 'Kesesuaian Tipe Tensimeter Raksa dan Tensimeter Digital Terhadap Pengukuran Tekanan Darah Pada Usia Dewasa', *Jurnal Kedokteran Diponegoro*, 6(2), pp. 1923–1929. Available at: <http://ejournal-s1.undip.ac.id/index.php/medico>.



