

DAFTAR PUSTAKA

- Allen SS, McBride CM, Pierie PL (1991). The shortened premenstrual assessment form. *Journal of Reproductive Medicine*, 36(11):769-772.
- Andrews, G (2009). *Buku ajar kesehatan reproduksi wanita*. Edisi 2. Jakarta: EGC.
- Anggrajani F, Muhandi N (2011). Korelasi faktor risiko dengan derajat keparahan premenstrual syndrome pada dokter perempuan. *Jurnal Universitas Airlangga*, 1:1-11.
- Arisman (2009). *Buku ajar ilmu gizi: Gizi dalam daur kehidupan*. Edisi 2. Jakarta: EGC.
- Ashakiran, Deepthi R (2012) . Fast foods and their impact on health. *J Krishna Inst Med Sci Univ*, 1:7-15.
- Badilla PV, Cumilla FAG, Valenzuela TH, Agüero SD (2015). The comparison between food habits and physical condition and other undergraduate students. *Nutricion Hospitalaria*, 32(2):829-836.
- Bandung: Alfabeta.
- Batubara JR, Soesanti F, Waal HD (2010). Age at menarche in indonesia girls. *A National Survey*, 42(2):78-81.
- Bayol SA, Simbi BH, Bertrand JA, Stickland NC (2008). Offspring from mothers fed a 'junk food' diet in pregnancy and lactation exhibit exacerbated adiposity that is more pronounced in females. *The Journal of Physiology*. 586(13):3219-3230.
- Bertone-Johnson ER, Ronnenberg AG, Houghton SC, Nobles C, Zagarins SE, Takashima-Uebelhoer BB, Faraj JL, et al. (2014). Association of inflammation markers with menstrual symptom severity and premenstrual syndrome in young women. *Human reproduction*, 29(9):1987-1994
- Biggs WS, Demuth RH (2011). Premenstrual syndrome and premenstrual dysphoric disorder. *American Family Physician*, 84(8):818-924.
- Chocano-Bedoya PO, Manson JE, Hankinson SE, Johnson SR, Taber LC, Ronnenberg AG, Bigelow C, et al. (2013). Intake of selective minerals and risk of premenstrual syndrome. *Am J Epidemiol*, 177(10):1118-1127.
- Coffee A, Kuehl T, Sulak P (2008). Comparison of scales for evaluating premenstrual symptoms in women using oral contraceptives. *Pharmacotherapy*, 28:576-583.

- Cregg DJ, Holland WL, Bilkman BT, Wang LP, Yuguang G, Sargent KM, Bulchand S, et al. (2011). Lipid induced insulin resistance mediated by the proinflammatory receptor TLR4 requires saturated fatty acid-induced ceramide biosynthesis in mice. *The American Society for Clinical Investigation*, 121(5):1858-1870.
- Devi M (2009). Hubungan kebiasaan makanan dengan kejadian sindrom pramenstruasi pada remaja putri. *Teknologi Kejuruan*, 32(2):197-208.
- Devi N (2012). *Gizi anak sekolah*. Jakarta: Penerbit Buku Kompas.
- Dickerson LM, Mazyck PJ, Hunter MH (2003). Premenstrual syndrome. *American Family Physician*, 68(8):1743-1752.
- Gannika L (2015). Tingkat pengetahuan pre dan post penyuluhan tentang premenstruasi sindrom di akademik keperawatan sandi karsa makassar. *Jurnal Kesehatan Sandi Husada*, 1(2):793-812.
- Gautama PA (2016). *Kadar leptin serum dan indeks massa tubuh berkorelasi positif dengan jumlah lesi skin tag*. Denpasar, Universitas Undayana. Thesis.
- Gibson RS (2005). *The principal of nutritional assessment*. New York: Oxford University Press.
- Gollenberg AL, Liu F, Brazil C, Drobnis EZ, Guzick D, Overstreet JW, Redmon JB, et al. (2010). Semen quality in fertile men in relation to psychosocial stress. *Fertil Steril*, 93(4):1104-1111.
- Hajagos-Toth J, Bota J, Duczal E, Csanyi1 A, Tiszai1 Z, Borsodi A, Samavati R, et al. (2016). The effects of estrogen on the α 2-adrenergic receptor subtypes in rat uterine function in late pregnancy in vitro. *Croat Med J*, 57:100-9
- Halbreich U, Backstrom T, Eriksson E, O'Brien S, Calil H, Ceskova E, Dennerstein L, et al. (2009). Clinical diagnostic criteria for premenstrual syndrome and guidelines for their quantification for research studies. *Journal Gynecological Endocrinology*, 23(3):123-130.
- Hapsari ND (2010). *Hubungan sindroma premenstruasi dan insomnia pada mahasiswi fakultas kedokteran universitas sebelas maret surakarta*. Surakarta, Universitas Sebelas Maret. Skripsi.
- Ikeako LC, Ezegwui HU, Nwafor MI, Nwaogui, Keoso EE (2014). Pattern of premenstrual symptom among pre-clinical medical student at university of nigeria. *Orient Journal of Medicine*, 26(1):52-57.
- Israel GD (2013). *Determining sample size*. Florida, University of Florida.

- Johnson S, Saxena P, Sahu R (2012). *Nutritional analysis of junk food*. New Delhi: Centre for Science and Environment.
- Joseph N, Nelliyan M, Rai S, Babu R, Kotian SM, Ghosh T, Singh M (2015). Fast food consumption pattern and its association with overweight among high school in mangalore city of southern india. *Journal of Clinical and Diagnostic Research*, 9(5):13-17.
- Ju H, Jones M, Mishra GD (2014). Premenstrual syndrome and dysmenorrhea. *Maturitas*, 78(2):99-105.
- Kaplan HI, Saddock BJ (2010). *Sinopsis psikiatri*. Jilid 2. Terjemahan Widjaja Kusuma. Jakarta: Binarupa Aksara.
- Khajehei M (2015). Etiology, diagnosis and management of premenstrual syndrome. *Journal of Pain and Relief*, 4(4):1-4.
- Krishna S, Keralapurath MM, Lin Z, Wagner JJ, deLaSerre CB, Harn DA, et al. (2015). Neurochemical and electrophysiological deficits in the ventral hippocampus and selective behavioral alterations caused by high-fat diet in female. *Neuroscience*, 297:170-181.
- Kroll AR (2010). *Recreational physical activity and premenstrual syndrome in college-aged women*. Amherst, University of Massachusetts. Thesis.
- Laila NN (2011). *Buku pintar menstruasi*. Jogjakarta: Buku Biru.
- Lakkawar NJ, Jayavani RL, Arthi N, Alaganandam P, Vanajakshi N (2014). A study of menstrual disorder in medical student and its correlation with biological variables. *Scholar Journal of Applied Medical Science*, 2(6):3165-3175.
- Lestari D (2015). *Perilaku konsumsi junk food pada siswa di SMA Negeri 1 Depok Sleman Yogyakarta*. Yogyakarta, STIKES Aisyiyah Yogyakarta. Thesis.
- Lisnawaty (2008). *Hubungan pengetahuan dan pola konsumsi fast food dengan status gizi remaja yang berkunjung ke restoran fast food di mall panakkukang*. Makassar, Universitas Hasanuddin. Skripsi.
- Nasution R (2003). *Teknik sampling*. Medan, Universitas Sumatra Utara.
- Nurlela E, Widiayati, Prabowo T (2008). Hubungan aktivitas olahraga dengan kejadian premenstrual syndrome. *Jurnal Ilmu Keperawatan*, 3(1):1-5.
- Oginsky MF, Goforth PB, Nobile CW, Lopez-Santiago LF, Ferrario CR (2016). Eating 'junk-food' produces rapid and long-lasting increases in NAc CP-

AMPA receptors: implications for enhanced cue-induced motivation and food addiction. *Neuropsychopharmacology*, 41: 2977–2986.

Oktaviani WD, Saraswati LD, Rahfiludin Z (2012). Hubungan kebiasaan konsumsi fast food, aktivitas fisik, pola konsumsi, karakteristik remaja dan orang tua dengan indeks massa tubuh (IMT). *Jurnal Kesehatan Masyarakat*, 1(7):2-3.

Payab M, Kelishadi R, Qorbani M, Motlayn MC, Ranjbar SH, Ardalan G, Zahedi H, et al. (2015). Association of junk food consumption with high blood pressure and obesity in iranian children and adolescent. *Journal De Pediatria*, 91(2):196-205.

Plinta VS, Drosdzol A, Nowosleksi K, Plinta R (2010). The complexity of premenstrual dysphoric disorder – risk factors in the population of polish women. *Reproductive Biology and Endocrinology*, 8(141):1-7.

Puspitorini MP, Hakimi M, Emilia O (2007). Obesitas sebagai faktor resiko terjadinya premenstrual syndrome pada mahasiswa akademi kebidanan pemerintah kabupaten kudus. *Berita Kedokteran Masyarakat*, 23(1):6.

Qiao M, Sun P, Wang Y, Wei S, Wei X, Song C, Wang F, et al. (2017). Profiling protein in the hypothalamus and hippocampus of a rat model of premenstrual syndrome irritability. *Neural Plasticity*, 2017(2017):1-7.

Ramadani M (2013). Premenstrual syndrome. *Jurnal Kesehatan Masyarakat*, 7(1):21-25.

Rayburn (2012). *Obstetri dan ginekologi*. Jakarta: Widya Medika.

Reichelt AC (2016). Adolescent maturational transitions in the prefrontal cortex and dopamine signaling as a risk factor for the development of obesity and high fat/high sugar diet induced cognitive deficits. *Frontiers in Behavioral Neuroscience*, 10(189):1-17.

Reissig CJ, Strain EC, Griffiths RR (2009). Caffeinated energy drinks—a growing problem. *Drug Alcohol Depend*, 99(1-3):1–10.

Rushton JP, Irwing P (2009). A general factor of premenstrual syndrome and premenstrual dysphoric disorder. *Menopause International*, 18: 52-59

Safara N (2012). *Hubungan indeks massa tubuh dengan kejadian sindroma premenstruasi di kalangan mahasiswa stambuk*. Medan, Universitas Sumatra Utara. Skripsi.

Saryono, Waluyo S (2009). *Sindroma premenstruasi*. Yogyakarta: Nuha Medika.

- Sastroasmoro S & Ismael (2011). *Dasar-dasar metodologi penelitian*. Jakarta: Sagung Seto, pp:105-106.
- Seedhom AE, Mohammed ES, Mahfouz EM (2013). Life style factors associated with premenstrual syndrome among el-minia university students, egypt. *Hindawi*, 617123:6.
- Sharma P, Malhotra C, Taneja DK, Saha R (2008). Problems related to menstruation amongst adolescent. *J Pediatr*, 75(2):125-9.
- Sharma S, Fernandes M, Fulton S (2013). Adaptations in brain reward circuitry underlie palatable food cravings and anxiety induced by high-fat diet withdrawal. *Int J Obes*, 37(9):1183–91.
- Smith K, Alam F, Ansah T, Archibong A, Nayyar T (2016). Beta-arrestin 1 and testosterone level in women with depression during premenstrual dysphoric disorder. *The FASEB Journal*, 30(1):1-10.
- Speroff L, Fritz MA (2005). *Clinical gynecologic endocrinology and infertility*. Seventh Edition. California: Lippincott Williams & Wilkins.
- Sugiarto KG (2015). *Hubungan sindrom premenstruasi dengan tingkat depresi pada mahasiswa fakultas kedokteran universitas sebelas maret surakarta*. Surakarta, Universitas Sebelas Maret. Skripsi.
- Sugiyono (2011). *Metode Penelitian Kuantitatif, Kualitatif, Dan R&D*.
- Susanti AV, Sunarto (2012). *Faktor risiko kejadian menarche dini pada remaja*. Semarang, Universitas Diponegoro. Thesis.
- Tacani PM, Ribeiro DO, Guimaraes BEB, Machado AFP, Tacani RE (2015). Characterization of symptoms and edema distribution in premenstrual syndrome. *Dove Medical Press Limited*, 7:297-303.
- Tambing Y (2012). *Aktivitas fisik dan sindroma premenstruasi pada remaja*. Yogyakarta, Universitas Gadjah Mada. Thesis.
- Tschudin, S., Berteau, PC., Zemp, E (2010). Prevalence and predictors of premenstrual syndrome and premenstrual dysphoric disorder in a population-based sample. *Arch Womens Met-Health*, 13(6):485-494.
- Unlu BS, Koken G, Celik F, Melt N, Yilidiz Y, Koca B, Yelmazer M (2014). In contrast to leptin, serum concentration of ghrelin are not related to premenstrual syndrome. *European Review for Medical and Pharmacological Sciences*, 18: 3010-3015.

Vollbrecht PJ, Mabrouk OS, Nelson AD, Kennedy RT, Ferrario CR (2016). Pre-existing differences and diet-induced alterations in striatal dopamine systems of obesity-prone rats. *Obesity (Silver Spring)*, 24(3):670–677.

Wikojosastro, Hanifa (2005). *Ilmu kandungan*. Jakarta: Yayasan Bina Pustaka Sarwono Prawiroharjo.

Wulan RS (2008). *Dangerous junk food*. Yogyakarta: O2.

Yehuda S, Mostofsky D (2010). *Iron deficiency and overload: from basic biology to clinical medicine*. Totowa, New Jersey: Humana Press.

Yen JY, Chang SJ, Ko CH, Yen CF, Chen SC, Yen YC, Chen CC (2010). The high-sweet-fat food craving among women with premenstrual dysphoric disorder: emotional response, implicit attitude and rewards sensitivity. *Psychoneuroendocrinology*, 35(8): 1203-1212.

Yonkers KA, O'Brien PM, Eriksson E (2008). *Premenstrual syndrome*. *The Lancet*, 371(9619):1200-1210.

Zehra S, Khan NA, Azhar A, Quresh M (2011). Increased levels of plasma leptin in relation to etiology of premenstrual syndrome. *Pakistan Journal of Biochemistry and Molecular Biology*, 44(4):129-132.