

**DAFTAR PUSTAKA**

1. Vonaesch P, Morien E, Huus KE, Randremanana R V. Stunted childhood growth is associated with decompartmentalization of the gastrointestinal tract and overgrowth of oropharyngeal taxa. Institut Pasteur Young Scientist Prize Application Form. 2018 August.112(36): 1-14
2. Andrews K, Gonzalez A. Contextual risk factors impacting the colonization and development of the intestinal mikrobiota: Implications for children in low and middle income countries. 2019 December :1-15.
3. Strategi KDAN. 2019. Kebijakan dan strategi penanggulangan stunting di Indonesia.
4. Badan Penelitian dan Pengembangan Kesehatan. 2013. Riset Kesehatan Dasar. Jakarta: Balitbangkes.
5. Helmyati S, Yuliati E, Wisnusanti SU, Maghribi R, Juffrie M. Keadaan mikrobiota saluran cerna pada anak sekolah dasar yang mengalami stunting di Lombok Barat. 2017;12(1):55-60.
6. Tyakht A V, Kostryukova ES, Popenko AS, et al. In urban and rural populations in Russia. *Nat Commun.* 2013;4:1-9.
7. Owino V, Ahmed T, Freemark M, Kelly P. Environmental Enteric Dysfunction and Growth Failure / Stunting in Global Child Health. 2020; 138(6).
8. Demirchyan A, Petrosyan V, Sargsyan V, Hekimian K. Predictors of Stunting Among Children Ages 0 to 59 Months in a Rural Region of Armenia. 2016;62(1):150-156.
9. Tumilowicz A, Beal T, Neufeld LM. A review of child stunting determinants in Indonesia. 2018 March:1-10.
10. Torlesse H, Cronin AA, Sebayang SK, Nandy R. Determinants of stunting in Indonesian children : evidence from a cross-sectional survey indicate a prominent role for the water , sanitation and hygiene sector in stunting reduction. *BMC Public Health.* 2016:1-11.Doi:10.1186/s12889-016-3339-8
11. Soetjiningsih. Perawakan pendek. In: *Tumbuh Kembang Anak.* ; 2013:595- 609.
12. Hendarto A dan Sjarif DR. Antropometri anak dan remaja. In: *Buku Ajar Nutrisi Pediatrik Dan Penyakit Metabolik.* Jilid I re. Jakarta: IDAI; 2014:25- 35.
13. Nelson. Assesment of Growth. In: *Nelson, Textbook of Pediatric.* ;2011:297.
14. Suraatmaja S. Malabsorpsi saluran cerna. *Gastroenterologi anak.* Jakarta: SagungSeto;2005.h.111–21.
15. Nestle Nutrition Institute. Pentingnya Kesehatan Pencernaan. In: Juffrie M, ed. *Kesehatan Pencernaan Awal Tumbuh Kembang Yang Sehat.*Jakarta;2018:19-35.
16. Danaei G, Andrews KG, Sudfeld CR, et al. Risk Factors for Childhood Stunting in 137 Developing Countries : A Comparative Risk Assessment Analysis at Global , Regional , and Country Levels. 2016:1-18.
17. Dewey KG, Begum K. Original Article Long-term consequences of stunting in early life. 2011;7:5-18.
18. Harper KM, Mutasa M, Prendergast AJ, Humphrey J, Manges R. Environmental entericdysfunction pathwaysandchild stunting:Asystematic review.2018:1-23.
19. Keusch GT, Rosenberg IH, Denno DM, et al. Implications of acquired environmental enteric dysfunction for growth and stunting in infants and children

- living in low- and middle-income countries.2013;34(3):357-364.
20. Dinh DM, Ramadass B, Kattula D, et al. Longitudinal Analysis of the Intestinal Mikrobiota in Persistently Stunted Young Children in South India. 2016:1-17.Doi:10.1371/journal.pone.0155405
  21. Sudfeld CR, Mccooy DC, Danaei G, Fink G, Ezzati M. Linear Growth and Child Development in Low- and Middle-Income Countries : 2015;135(5).
  22. Lestari ED, Siregar R, Nugroho HW. Hubungan Kadar Feritin dengan Morbiditas pada Anak dengan Gizi Kurang.2012;13(6):397-400.
  23. Penelitian A. Gambaran Bakteri Penyebab Infeksi Pada Anak Berdasarkan Jenis Spesimen dan Pola Resistensinya di Laboratorium RSUP Dr . M . Djamil Padang Tahun 2014-2016. 2019;8 (Supplement2):26-32.
  24. Walter J, Ley R. The Human Gut Microbiome : Ecology and Recent Evolutionary Changes. :411-429. Doi:10.1146/annurev-micro-090110-102830.
  25. Kuang Y, Li S, Guo Y, Lu J, He J, Luo B. Composition of gut mikrobiota in infants in China and global comparison. *Nat Publ Gr*. 2016;(August):1-10.
  26. Cong X, XuW, Romisher R, etal. Gut Microbiomeand Infant Health: Brain- Gut- Mikrobiota Axis and Host Genetic.2016;89:299-308.
  27. Shen Z, Zhu C, Quan Y, et al. Relationship between intestinal mikrobiota and ulcerativecolitis : Mechanisms and clinical application of probiotics and fecal mikrobiota transplantation. 2018; 24(1):5-14.
  28. Yu Y, Zhu S, Li P, Min L. Helicobacter pylori infection and in fl ammatory bowel disease:a crosstalk between upper and lower digestive tract. *Cell Death Dis*. 2018.
  29. Cristina I, Werlang R, Mueller NT, et al. Associations of birth mode with cord blood cytokines, white blood cells , and newborn intestinal bifidobacteria.2018:1-10.
  30. Wikaningrum R, Rochani JT, Djannatun T, Widiyanti D. Populasi bakteri pada Feses Neonatus : Penelitian pendahuluan Bacterial Populations inNeonatal Feces : A Preliminary study.2001.
  31. Hartono TS. Profil mikrobiota usus pada anak usia 2 – 12 tahun dengan diare dan non diare di Jakarta Utara, Indonesia.2014.
  32. Gagliardi A, Totino V, Cacciotti F, et al. Rebuilding the Gut Mikrobiota Ecosystem. 2018.Doi:10.3390/ijerph15081679.
  33. Tamburini S, Shen N, Wu HC, Clemente JC. The microbiome in early life: implications for health outcomes. *Nat Publ Gr*. 2016;22(7):713-722.
  34. Boer NKH De, Jansen FM, Benninga MA, Budding AE, Meij TGJ De. Effect of Daily Intake of Lactobacillus casei on Microbial Diversity and Dynamics in a Healthy Pediatric Population. *Curr Microbiol*. 2019. Doi:10.1007/s00284-019-01713-9.
  35. Shulman R, Devaraj S, Tarr API, Manary AMJ. Environmental Enteric Dysfunction Is Associated With Poor Linear Growth and Can Be Identified by Host Fecal mRNAs. 2016 ;63 (5):453-459.
  36. Iqbal NT, Sadiq K, Syed S, et al. Promising Biomarkers of Environmental Enteric Dysfunction : A Prospective Cohort study in Pakistani Children. *Sci Rep*. 2018;(September 2017):1-10.
  37. Amadi B, Besa E, Zyambo K, et al. EbioMedicine Impaired Barrier Function and Autoantibody Generation in Malnutrition Enteropathy in Zambia. *EbioMedicine*. 2017.Doi:10.1016/j.ebiom.2017.07.017.
  38. Vonaesch P, Rendremanana R, Gody J, et al. Identifying the etiology and

- pathophysiology underlying stunting and environmental enteropathy: study protocol of the AFRIBIOTA project. 2018:1-18.
39. Mullineaux-sanders C, Collins JW, Ruano-gallego D, et al. *Citrobacter rodentium* Relies on Commensals for Colonization of the Colonic Mucosa Report *Citrobacter rodentium* Relies on Commensals for Colonization of the Colonic Mucosa. 2017:3381-3389.
  40. Taylor P, Rose C, Parker A, Jefferson B, Cartmell E. Critical Reviews in Environmental Science and The characterisation of faeces and urine ; a review of the literature to inform advanced treatment technology. March 2015 :37-41.
  41. Chair ACGP and, Biophysics D of P and, Research AVC for, Center U of MM, Jackson M. Digestion and Absorption in the Gastrointestinal Tract. In: *Guyton and Hall, The Hand Book Of Physiology*. ;2011:794.
  42. Piper HG, Fan D, Coughlin LA, et al. Severe Gut Mikrobiota Dysbiosis Is Associated With Poor Growth in Patients With Short Bowel Syndrome. 2016. Doi:10.1177/0148607116658762.
  43. Toribio-mateas M. Harnessing the Power of Microbiome Assessment Tools as Part of Neuroprotective Nutrition and Lifestyle Medicine Interventions. 2018. Doi:10.3390/microorganisms6020035.
  44. Hossain S, Das S, Gazi A, et al. Association of faecal pH with childhood stunting: Results from a cross-sectional study. 2019:1-6.
  45. Ilhan ZE, Marcus AK, Kang D, Rittmann BE. pH-Mediated Microbial and Metabolic. 2017;2(3):1-12.
  46. Alou MT, Lagier J, Raoult D. Diet Influence on the Gut Mikrobiota and Dysbiosis related to Nutritional Disorders. *Hum Microbiome J*. 2016. Doi:10.1016/j.humic.2016.09.001.
  47. Sekirov I, Russell SL, Antunes LCM, Finlay BB. Gut Mikrobiota in Health and Disease. 2010:859-904.
  48. Henrick BM, Hutton AA, Palumbo MC, et al. Cross-sectional Elevated Fecal pH Indicates a Profound Change in the Breastfed Infant Gut Microbiome Due to Reduction of *Bifidobacterium* over the Past Century. 2018;3(2):1-5.
  49. Leng B, Sørensen MB, Kot W, Thymann T, Krych L, Nielsen DS. Severe gut mikrobiota dysbiosis caused by malnourishment can be partly restored during 3 weeks of refeeding with fortified corn-soy-blend in a piglet model of childhood malnutrition. 2019:1-9.
  50. Kellow NJ, Coughlan MT, Reid CM. Systematic Review Metabolic benefits of dietary prebiotics in human subjects : a systematic review of randomised controlled trials. 2014:1147-1161.
  51. Sjarif DR, Yuliarti K, Iskandar WJ. Daily consumption of growing-up milk is associated with less stunting among Indonesian toddlers. 2019;28(1):70-76.
  52. Kumar M, Ji B, Babaei P, et al. Author's Accepted Manuscript. *Metab Eng*. 2018. Doi:10.1016/j.ymben.2018.07.018.
  53. Cussotto S, Sandhu K V, Dinan TG, Cryan JF. The Neuroendocrinology of the Mikrobiota-Gut-Brain Axis : A Behavioural Perspective. *Front Neuroendocrinol*. 2018. Doi:10.1016/j.yfrne.2018.04.002
  54. Mardiyono B, Sastroasmoro S, Budiman I, Purwanto SH. Perkiraan besar sampel. Dalam: Ismael S dan Sastroasmoro S, penyunting. *Dasar-dasar metodologi penelitian klinis*. Sagung seto. Jakarta 2014. h.352-87.
  55. Sastroasmoro S, Aminullah A, Rukman Y, Munasir Z. Variabel dan hubungan antar

- variabel. Dalam: Ismael S dan Sastroasmoro S, penyunting. Dasar-dasar metodologi penelitian klinis. Sagung seto. Jakarta 2014. h. 301- 27.
56. Siswosudarno HR. Langkah-langkah analisis data. Dalam: Penekatan praktis penelitian epidemiologi klinis dan aplikasi SPSS untuk analisis statistik. Fakultas Kedokteran UGM-RS Sardjito. Yogyakarta. 2015. h.40-43.
  57. Budiastutik I dan Rahfiludin MZ. Faktor risiko *stunting* pada anak di negara berkembang. *Amerta Nutr* 2019;122-126.
  58. Nkurunziza S, Meessen B, Van Geertruyden JP, Korachais C. Determinants of stunting and severe stunting among Burundian children aged 6-23 months: Evidence from a national crosssectional household survey, 2014. *BMC Pediatr* 2017; 17: 1–15.
  59. Afifah L. Hubungan pendapatan, tingkat asupan energi dan karbohidrat dengan status gizi balita usia 2-5 tahun di daerah kantong kemiskinan. *Amerta Nutr.* 2019; 183-8.
  60. Mardiyono B, Sastroasmoro S, Budiman I, Purwanto SH. Perkiraan besarsampel. Dalam: Ismael S dan Sastroasmoro S, penyunting. Dasar-dasar metodologi penelitian klinis. Sagung Seto. Jakarta 2014. h.352-87.
  61. Sastroasmoro S, Aminullah A, Rukman Y, Munasir Z. Variabel dan hubungan antar variabel. Dalam: Ismael S dan Sastroasmoro S, penyunting. Dasar-dasar metodologi penelitian klinis. Sagung Seto. Jakarta 2014. h.301-27.
  62. Suradi R, Siahaan CM, Boedjang RF, Sudiyanto, Setyaningsih I, Soedibjo S. Studi kasus kontrol. Dalam: Ismael S dan Sastroasmoro S, penyunting. Dasar-dasar metodologi penelitian klinis. Sagung Seto. Jakarta 2014. h.146-66.
  63. Siswosudarno HR. Langkah-langkah analisis data. Dalam: Penekatan praktis penelitian epidemiologi klinis dan aplikasi SPSS untuk analisis statistik. Fakultas Kedokteran UGM-RS Sardjito. Yogyakarta. 2015. h.40-43.
  64. Nojomi N, Kafashi A & Najmabadi S. Study of frequency of malnutrition risk factors in under 5 years children in Karaj, 2001–2002. *Razi J Med Sci*; 2003; 10: 123–130.
  65. Pramod SG, Nair M, Grubestic RB. Factors associated with underweight and stunting among children in rural Terai of eastern Nepal. *Asia Pac J Public Health.* 2009; 21: 144–152.
  66. Mushtaq MU, Gull S, KhurshidU, ShahidU,ShadMA,Siddiqui AM. prevalence and socio-demographic correlates of stunting and thinness among Pakistani primary school children. *BMC Public Health.*2011,11:790.
  67. Matsungo TM, Kruger HS, Faber M, Rothman M, Smuts CM. The prevalence and factors associated with stunting among in fantsaged 6month sinaperi-urbansouth african community. *Public Health Nutr.* 2017; 20:3209-18.
  68. KhanMN, Islam MM. Effect of exclusive breast feeding on selected adverse health and nutritional outcomes: a nationally representative study. *BMC Pub Health*; 2017; 17:1-7.
  69. Utami D, Indarto D, Dewi YLR. The effect of nutrient intake and socioeconomic factor toward stunting incidence among primary school students in Surakarta. *Journal of Epidemiologi and Public Health.* 2017. 2(1):1-10.
  70. Esfarjani F, Roustae R, Nasrabadi FM, Esmailzadeh A. Major Dietary Patterns in Relation to Stunting among Children in Tehran, Iran. *J health popul nutr.*2013. Jun;31(2):202-210.
  71. Alshammari E, Suneetha E, Adnan M, Khan S, Alazzeah A. Growth profile and its

association with nutrient intake and dietary patterns among children and adolescents in Hail region of Saudi Arabia. *BioMed Research International*.2017.

72. Ernalia Y, Utari LD, Suyanto, Restuastuti T. Different intakes of energy and protein instunted and non-stunted elementary school children in Indonesia. InThe 2nd International Meeting of Public Health 2016 with theme “Public Health Perspectiveof Sustainable Development Goals: The Challenges and Opportunities in Asia-Pacific Region”, *KnE Life Sciences*, pages 556–562.2018.
73. Heijden LJM, Hautvast JLA, Luneta AK, Staveren WA, Tolboom JJM, Gastel SM. Food consumption of young stunted and non-stunted children inrural Zambia. *European Journal of Clinical Nutrition*. 1999;53:50-59.
74. Azmy U dan Mundiastuti L. Konsumsi zat gizi pada balita *stunting* dan non-*stunting* di Kabupaten Bangkalan. *Amerta Nutr* (2018)292-298.

