

DAFTAR PUSTAKA

- Adam JMF (2010). *Buku Ajar Ilmu Penyakit Dalam, 5 ed.* Jakarta: Interna Publishing, pp. 2261-2262.
- Ali NH, Kepel BJ, Bodhi W (2013). Gambaran Asupan Purin pada Remaja di Kabupaten Minahasa. *Jurnal e-Biomedik (eBM)*, 1(1): 530-536.
- Amudha S, Manna PK, Jeganathan NS (2018). Evaluation of anti-diabetic activity of *Syzygium cumini* extract and its phytosome formulation against streptozotocin-induced diabetic rats. *The Pharma Innovation Journal*, 7: 603–608.
- Aquilante CL and Griend JPV (2012). *Metabolic syndrome. Pharmacotherapy Self-Assessment Program*. 6th Ed. pp:109 – 115.
- Arifin B dan Ibrahim S (2018). Struktur, bioaktivitas dan antioksidan flavonoid. *Jurnal Zarah*, 6(1): 21-29.
- Artini NPR dan I Wayan TA (2019). Efektivitas Bunga Wijaya Kusuma (*Epiphyllum oxypetalum*) Terhadap Penurunan Kadar Asam Urat Tikus Wistar. *The Journal of Muhamadiyah Medical Laboratory Technologist*, 2(2): 37-46.
- Aruna A, Vijayalakshmi K, Karthikeyan V (2014). Pancreatic lipase inhibitory screening of *Citrullus lanatus* leaves. *The Pharma Innovation Journal*, 3(7): 44-45.
- Asiah M (2018). *Aktivitas Antihiperurisemia Ekstrak Etanol Daun Jamblang (Syzygium Cumini L. (Skeels)) Pada Tikus Yang Diinduksi Potassium Oksonat*. Medan, Universitas Sumatra Utara. Skripsi.
- Asija R, Sharma S, Sharma P, Choudhary P, Kumar V (2014). A review on antihyperlipidemic activity of various herbal plants and various experimental animal models. *Journal of Drug Discovery and Therapeutics*, 2(20): 71-77.
- Atanasovska E, Tasic V, Slaninka-Miceska M, Alabakovska S, Zafirov D, Kostova E, Pavlovska K, *et al.* (2014). Six week follow-up of metabolic effects induced by a high-fat diet and streptozotocin in a rodent model of type 2 diabetes mellitus. *Prilozi (Makedonska Akademija Na Naukite i Umetnostite. Oddelenie Za Medicinski Nauki)*, 35(1): 169–179.
- Ayyanar M and Subash-babu P (2012). *Syzygium cumini* : A Review of Its Phytochemical Constituent and Traditional Uses. *Asian Pacific Journal of tropical Biomedicine*, 2(3): 240-246.

- Aziz AA, Kenney LS, Goulet B, Abdel-Aal E (2009). Dietary Starch Type Affects Body Weight and Glycemic Control in Freely Fed but Not Energy-Restricted Obese Rats. *The Journal of Nutrition*, 139(10): 1881-1889.
- Babikr WG, Elhussien AB, Abdelraheem A (2016). The correlation of uric acid with glycemic control in type II diabetes patients. *Biomed Pharmacol J*, 9(3): 1005-8.
- Balyan U, Verma SP, Sarkar B (2019). Phenolic compounds from *Syzygium cumini* (L.) Skeels leaves: Extraction and membrane purification. *Journal of Applied Research on Medicinal and Aromatic Plants*, 12: 43-58.
- Bhalerao S and Kadam P (2010). Sample size calculation. *International Journal Of Ayurveda Research*, 1(1): 55.
- Bratawidjaja KG (2002). *Imunologi Dasar*. Jakarta: FKUI. pp: 44-53.
- Buchholz T and Melzig MF (2016). Medicinal plants traditionally used for treatment of obesity and diabetes mellitus—Screening for pancreatic lipase and α -amylase inhibition. *Phytotherapy Research*, 30: 260–266.
- Caliceti C, Calabria D, Roda A, Cicero AFG (2017). Fructose intake serum uric acid, and cardiometabolic disorders: A critical review. *Nutrients*, 9(4): 1-15.
- Chiva-Blanch G and Badimon L (2017). Effects of Polyphenol Intake on Metabolic Syndrome: Current Evidences from Human Trials. *Oxidative Medicine and Cellular Longevity*, 2017: 1-18.
- Corino C, Magni S, Pastorelli G, Rossi R, Mourot J (2003). Effect of conjugated linoleic acid on meat quality, lipid metabolism, and sensory characteristics of dry-cured hams from heavy pigs. *Journal of Animal Science*, 81(9): 2219-2229.
- Cos P, Ying L, Calomme M, Hu JP, Cimanga K, Van Poel B, Pieters L, *et al.* (1998). Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. *Journal Natural Products*, 61(1): 71-76.
- Cui Y, Bu H, Ma X, Zhao S, Li X, Lu S (2016). The relation between serum uric acid and HbA1c is dependent upon hyperinsulinemia in patients with newly diagnosed type 2 diabetes mellitus. *Journal of Diabetes Research*, 2016: 1-6.
- Dahlan SM (2011). *Statistik untuk Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.
- Dahlan SM (2013). *Statistik untuk Kedokteran dan kesehatan: Deskriptif, Bivariat, dan Multivariat*. 3rdEd. Jakarta: Salemba Medika, pp.1- 101

- De-Oliveira MC, Campos-Shimada LB, Marçal-Natali MR, Ishii-IwamotoEL, Salgueiro Pagadigorria CL. (2018). A long-term estrogen deficiency in ovariectomized mice is associated with disturbances in fatty acid oxidation and oxidative stress, *Revista Brasileira De Ginecologia E Obstetricia*, 40(5): 251–259.
- Departemen Kesehatan RI (2006). *Pharmaceutical Care untuk Pasien Penyakit Arthritis Rematik*. Jakarta: Departemen Kesehatan.
- Departemen Kesehatan RI (2019). *Hasil Utama Riskesdas 2018*. [online] Available at:http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskesdas%202018.pdf [diakses pada 22 Mei 2019].
- Departemen Kesehatan RI. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat, 1, 3*. Jakarta: Direktorat Jendral Pengawasan Obat dan Makanan Departemen Kesehatan Republik Indonesia.
- Descalzo AM and Sancho AM (2008). A review of natural antioxidants and their effects on oxidative status, odor and quality of fresh beef produced in Argentina. *Meat Science*, 79(3): 423- 436.
- Dewi AR, Nur'aini I, Bahri IS, Afifah HN, Fattah A, Tunjung WAS (2016). Antihyperuricemic activity of ginger flower (*Etingera elatior* Jack.) extract in beef broth-induced hyperuricemic rats (*Rattus norvegicus*). *Proceedings of the 1st International Conference on Science and Technology 2015*. America: American Institute of Physics, pp: 1-3.
- Dianati NA (2015). Gout and Hyperuricemia. *Journal Majority*, 4(3): 82-89.
- Dipiro, Talbert, Yee, Matzke, Wells, Posey (2008). *Pharmacotherapy Handbook*. Edisi 7. USA: The Mc. Graw Hill Company.
- Doherty M (2009). New Insights in to the Epidemiology of Gout. *Rheumatology*, 48: 112-118.
- Eckel RH (2005). The Metabolic Syndrome, Dalam: Kasper, D., Fauci, A., Hauser, S., Longo, D., Jameson, J. and Loscalzo, J., 2015. *Harrison's Principles Of Internal Medicine*. 19thed. New York: McGraw-Hill Education, pp.2451-2452.
- Egert S, Bosy-Westphal A, Seiberl J, Kürbitz C, Settler U, Plachta-Danielzik S, Wagner AE, *et al.* (2009). Quercetin reduces systolic blood pressure and plasma oxidised low-density lipoprotein concentrations in overweight subjects with a high-cardiovascular disease risk phenotype: a double-blinded, placebo-controlled cross-over study. *British Journal Nutrition*, 102(7): 1065-1074.

- Elmarimi NA, Haman MR, Abuhadra M, Sherif FM (2019). Pharmacognostical and Biological Evaluation of Cultivated *Syzygium cumini* (L.) Skeels (Jambolan) in Libya, *EC Pharmacology and Toxicology*, 7(7): 721-734.
- Essa SA, Mishari AK, Kadhom QI (2015). Association Between Serum Uric Acid And Obesity. *Journal of Babylon University/Pure and Applied Sciences*, 23(2): 899-903.
- Ezekiel U and Heuertz R (2015). Anti-Inflammatory Effect of *Syzygium cumini* on Chemotaxis of Human Neutrophils. *International Journal of Pharmacognosy and Phytochemical Research*, 7(4): 714-717.
- Federer WT (1991). *Statistics and Society: Data Collection and Interpretation*. 2nd Edition. New York: Marcel Dekker.
- Feig DI, Kang DH, Johnson RJ (2008). Uric Acid and Cardiovascular Risk. *N Eng J Med*. 359(17): 1811-1821.
- Fitria L dan Sarto M (2014). Profil Hematologi Tikus (*Rattus norvegicus* Berkenhout, 1769) Galur Wistar Jantan dan Betina Umur 4, 6, dan 8 Minggu. *Biogenesis: Jurnal Ilmiah Biologi*, 2(2): 94-100.
- Ford ES, Giles WH, Dietz WH. (2002). Prevalence of the Metabolic Syndrome Among US Adults: Finding from the Third National Health and Nutrition Examination Survey. *Journal American Medical Association*, 287(20): 356-59.
- França LM, Coêlho CFF, Freitas LNC, Souza ILS, Chagas VT, Debbas V, de Lima TM, *et al.* (2019). *Syzygium cumini* Leaf Extract Reverts Hypertriglyceridemia via Downregulation of the Hepatic XBP-1s/PDI/MTP Axis in Monosodium L-Glutamate-Induced Obese Rats. *Oxidative medicine and cellular longevity*, 2019: 1-14.
- Ghasemi A, Khalifi S, Jedi S (2014). Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review). *Acta Physiologica Hungarica*, 101(4): 408-420.
- Habtemariam S (2019). *Medicinal Foods as Potential Therapies for Type-2 Diabetes and Associated Diseases*. Jamun—*Syzygium cumini* (L.) Skeels. English: Academic press, pp: 1009.
- Harmita, Radji M (2008). *Buku Ajar Analisis Hayati*. Jakarta: EGC.
- Harun SR, Putra ST, Chair I, Sastroasmoro S (2014). Uji Klinis. Dalam: Sudigdo Sastroasmoro & Sofyan Ismael. *Dasar - dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto, pp: 187-216.
- Heinig M and Johnson RJ (2006). Role of Uric Acid in Hypertension, Renal

- Disease, and Metabolic Syndrome. *Cleveland Clinic Journal of Medicine*. 73(12): 1059-1064.
- Hidayat MF, Syafril S, Lindarto D (2014). Elevated uric acid levels decreases glycated hemoglobin in type 2 diabetes mellitus. *Universa Medicina*, 33(3): 199-204.
- Hu Q, Wang C, Li J, Zhang D, Kong L (2009). Allopurinol, rutin, and quercetin attenuate hyperuricemia and renal dysfunction in rats induced by fructose intake: renal organic ion transporter involvement. *American Journal of Physiology-Renal Physiology*, 297(4): F1080-F1091.
- Huang PL (2009). A comprehensive definition for metabolic syndrome. *Disease Models & Mechanisms*, 2(5-6): 231-237.
- Hubercht R and Kirkwood J (2010). *The UFAW Handbook on the Care and Management of Laboratory and Other Research Animals*. USA: Universities Federation of Animal Welfare.
- Husna F, Suyatna FD, Arozal W, Purwaningsih EH (2019). Model Hewan Coba Pada Penelitian Diabetes, *Journal Pharmaceutical Sciences And Research*, 6(3): 131-141.
- Hussain Y, Jain SK, Samaiya PK (2019). Short-term westernized (HFFD) diet fed in adolescent rats: Effect on glucose homeostasis, hippocampal insulin signaling, apoptosis and related cognitive and recognition memory function. *Behavioural Brain Research*, 361: 113-121.
- Ihedioha JI, Noel-uneke OA, Ihedioha TE (2013). Reference values for the serum lipid profile of albino rats (*Rattus norvegicus*) of varied ages and sexes. *Comp Clin Pathol*, 22: 93-99. <https://doi.org/10.1007/s00580-011-1372-7>
- Jackson SJ, Andrews N, Ball D, Bellantuono I, Gray J, Hachoumi L, Holmes A, *et al.* (2017). Does age matter? the impact of rodent age on study outcomes, *Journal Laboratory Animals*, 51(2): 160-169.
- Januar JA (2020). *Pengaruh Ekstrak Etanol Daun Afrika (Vernonia amygdalina) terhadap kadar Asam Urat pada Tikus Wistar Model Sindroma Metabolik*. Surakarta, Universitas Sebelas Maret. Skripsi.
- Johnson RJ, Kang DH, Feig DI, Kivlighn S, Kanelis J, Watanabe S, Tuttle KR, *et al.* (2003). Is There a Pathogenic Rule of Uric Acid in Hypertension, Cardiovascular and Renal Disease?. *Hypertension Journal*. 41(6): 1183-90.
- Johnson RJ, Segal MS, Sautin Y, Nakagawa T, Feig DI, Kang DH, Gersch MS, *et al.* (2007). Potential role of sugar (fructose) in the epidemic of hypertension, obesity and the metabolic syndrome, diabetes, kidney disease, and cardiovascular disease. *The American Journal of Clinical Nutrition*, 86(4):

899–906. <https://doi.org/10.1093/ajcn/86.4.899>

- Jun LSY and Fehn R. (2006). High-fat diet induced insulin resistance is more robust and reliable in Wistar than Sprague-Dawley Rats. *Experimental Biology 2006*, San Francisco, CA A2096.
- Kaneria M and Chanda S (2011). Evaluation of antioxidant and antimicrobial capacity of *Syzygium cumini* L. leaves extracted sequentially in different solvents. *Journal of Food Biochemistry*, 37(2): 168-176.
- Karina NA (2018). *Pengrauh Suhu Awal Reagen Terhadap Hasil Pemeriksaan Kadar Asam Urat*. Surabaya, Universitas Muhammadiyah Surabaya. Diploma thesis.
- Katzung BG, Masters SB, Trevor AJ (2012). *Basic & Clinical Pharmacology*. Edisi 12. New York: McGraw-Hill.
- Kaur J. (2014). A comprehensive review on metabolik syndrome. *Journal of cardiology research and practice*, 2014: 1–21.
- Kuhn G, Hennig U, Kalbe C, Rehfeldt C, Ren M, Moors S, Degen G (2004). Growth performance, carcass characteristics and bioavailability of isoflavones in pigs fed soy bean based diets. *Archives Animal Nutrition*, 58(4): 265-276.
- Kukreja S, Kaur A, Chhabra N, Kaur M (2012). Relationship between serum uric acid levels and glycaemic control in patients of type 2 diabetes mellitus. *Med Sci Tech*, 1(3):3-8.
- Kumar R, Patel DK, Prasad SK, Sairam K, Hemalatha S (2012). Antidiabetic activity of alcoholic root extract of *Caesalpinia digyna* in streptozotocin-nicotinamide induced diabetic rats. *Asian Pacific Journal of Tropical Biomedicine*, 2(2 SUPPL.): S934–S940.
- Lilyasari O (2007). Hipertensi Dengan Obesitas : Adakah Peran Endotelin-1?. *Jurnal Kardiologi Indonesia*, 28(6): 460-475.
- Lubis WZ (2017). *Hubungan Hiperurisemia Dengan Sindrom Metabolik Di Rumah Sakit Umum Pusat Haji Adam Malik Tahun 2014-2016*. Medan, Universitas Sumatra Utara. Skripsi.
- Luo Z, Xu W, Zhang Y, Di L, Shan J (2020). A review of saponin intervention in metabolic syndrome suggests further study on intestinal microbiota. *Pharmacological Research*, 160: 105088
- Ma X, Lin Y, Jiang Z, Zheng C, Zhou G, Yu D, Cao T, *et al.* (2010a). Dietary arginine supplementation enhances antioxidative capacity and improves meat quality of finishing pigs. *Amino Acids*, 38(1): 95-102.

- McCracken E, Monaghan M, Sreenivasan S (2018). Pathophysiology of the metabolic syndrome. *Clinics in Dermatology*, 36(1): 14-20.
- Mo S, Zhou F, Lv Y, Hu Q, Zhang D, Kong L (2007). Hypouricemic Action of Selected Flavonoids in Mice: Structure–Activity Relationships. *Biological & Pharmaceutical Bulletin*, 30(8): 1551-1556.
- Moinuddin K and Awanti SM (2016). Evaluation of the relationship between glycemc parameters and serum uric acid level in type 2 diabetes mellitus. *Internat J Clin Biochem Rese*, 3(4):395-401.
- Muhajir NF, Widada ST, Afuranto B (2014). Hubungan Antara Usia dengan Kadar Asam Urat Darah di Laboratorium Puskesmas Srimulyo, Triharjo, Sleman, Yogyakarta Tahun 2012. *Jurnal Kesehatan Gubayo*, 1(1): 40-5.
- Murray, Granner, Mayes, Rodwell (2003). *Biokimia Harper*. Edisi 25. Terjemahan oleh Andy Hartono. Jakarta: EGC.
- Mycek MJ, Harvey RA, Champe PC (2001). *Farmakologi: Ulasan Bergambar*. Edisi 2. Terjemahan oleh Azwar Agoes. Jakarta: Widya Medika.
- Nadeak H (2016). *Pemeriksaan Kadar Asam Urat Pada Serum Darah dengan Metode Kolometri*. Medan, Universitas Sumatra Utara. Tugas Akhir.
- Nafiu MO and Ashafa A (2017). Antioxidant and Inhibitory Effects of Saponin Extracts from *Dianthus basuticus* Burt Davy on Key Enzymes Implicated in Type 2 Diabetes *In vitro*. *Pharmacognosy magazine*, 13(52): 576–582.
- Nagai S, Matsumoto C, Shibano M, Fujimori K (2018). Suppression of Fatty Acid and Triglyceride Synthesis by the Flavonoid Orientin through Decrease of C/EBP δ Expression and Inhibition of PI3K/Akt-FOXO1 Signaling in Adipocytes. *Nutrients*, 10(2): 130.
- Naseem R, Al-Fareed Zafar SM, Jawed S, Mukhtar S, Ijaz F, Aftab RK (2019). Influence of serum estradiol on serum uric acid level in pre and postmenopausal women. *Professional Med J*, 26(9):1587-1591.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 10764483, Pterodontoside A[terpenoid]. https://pubchem.ncbi.nlm.nih.gov/compound/Pterodontoside-A_terpenoid – Diakses Juli 2021.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 16129878, Tannic acid (TN). https://pubchem.ncbi.nlm.nih.gov/compound/Tannic-acid_TN – Diakses Juli 2021.
- National Center for Biotechnology Information (2021). PubChem Compound

Summary for CID 198016, Saponin.
<https://pubchem.ncbi.nlm.nih.gov/compound/Saponin> – Diakses July 2021.

- National Research Council. (2011). *Guide for the Care and Use of Laboratory Animal* (8th ed.). Washington, DC: The National Academic Press.
- Nimse SB and Pal D (2015). Free Radicals, Natural Antioxidants, And Their Reaction Mechanisms. *The Royal Society of Chemistry*, 5(35): 27986–28006
- Ningrum LP, Salim N, Balqis U (2017). Pengaruh Ekstrak Daun Jamblang (*Syzygium cumini* L) Terhadap Histologi Hepar Tikus Putih (*Rattus norvegicus*) Diabetes Melitus. Fakultas Kedokteran Hewan Universitas Syiah Kuala. *JIMVET*, 1(4): 695-701.
- Novrial D (2007). Kerusakan Sel β Pankreas Akibat Induksi Streptozotocin Tinjauan Patologi Eksperimental. *Mandala of Health*, 3(2): 46-51.
- Okoduwa S, Umar I, James D, Inuwa H, Habila J (2016). Evaluation of extraction protocols for anti-diabetic phytochemical substances from medicinal plants. *World Journal of Diabetes*, 7(20): 605.
- Palinkas LA, Horwitz SM, Green CA, Wisdom JP, Duan N, Hoagwood K. (2015). Purposeful sampling for qualitative data collection and analysis in mixed method implementation research. *Journal Administration And Policy In Mental Health*, 42(5): 533–544.
- Panchal SK, Poudyal H, Iyer A, Nazer R, Alam MA, Diwan V, Kauter K, *et al.* (2011). High-carbohydrate, high-fat diet-induced metabolic syndrome and cardiovascular remodeling in rats. *J Cardiovasc Pharmacol*, 57: 611-624.
- Paradinta U (2018). *Pengaruh Ekstrak Biji Kelor (Moringa oleifera, Lam.) terhadap Kadar SGPT dan Histopatologi Hepar Tikus Putih (Rattus norvegicus) Model Sindrom Metabolik*. Surakarta, Universitas Sebelas Maret. Skripsi.
- Pari L and Srinivasan S. (2010). Antihyperglycemic effect of diosmin on hepatic key enzymes of carbohydrate metabolism in streptozotocin-nicotinamide-induced diabetic rats, *Journal of Biomedicine and Pharmacotherapy*, 64(7): 477–481.
- Park J, Yeom Z, Park K, Han E, Yu H, Kang H, Lim Y (2018). Hypouricemic effect of ethanol extract of aster gleni leaves in potassium oxonate induced hyperuricemic rats. *Clinical nutrition research*, 7(2): 126-135.
- Perez-Vizcaino F, Duarte J, Jiménez R, Santos-Buelga C, Osuna A (2009). AntiHypertensive Effects of the Flavonoid Quercetin. *Pharmacological Reports*, 61(1): 67-75.

- Permatasari D, Umi Yuniarni, Suwendar (2015). Uji Efektifitas Antihiperurisemia Ekstrak Etanol Daun Salam dan Daun Jamblang serta Kombinasinya pada Tikus Wistar Jantan. *Prosiding Konferensi Nasional Matematika, Sains, dan Aplikasinya 2015*. Bandung: Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Islam Bandung, pp: 287-293.
- Prahastuti S. (2011). Konsumsi Fruktosa Berlebihan dapat Berdampak Buruk bagi Kesehatan Manusia Consuming Excessive Amount of Fructose may Affect Our Health. *Jurnal Kesehatan Masyarakat*, 10(65), : 173–189.
- Purwanto B (2009). Pathogenesis, Etiology, and Management of Hypertension and Nefrotoxic Agents. Disampaikan pada Half Day Simposium: Renal Disease Induced by Nefrotoxic Agents. Surakarta.
- Qing-Hua H, Zhang X, Wang X, Jiao RQ, Kong RD (2011). Quercetin regulates organic ion transporter and uromodulin expression and improves renal function in hyperuricemic mice. *European Journal Nutrition*, 51(5): 593-606.
- Rahayu S, Dharmawan A, Putri V, (2021). Potensi Ekstrak Daun Jamblang (*Syzygium cumini* L.) Sebagai Larvasida Untuk Pengendalian Larva Nyamuk *Aedes aegypti*. *BIOSAIN TROPIS (BIOSCIENCE-TROPIC)*, 6(2): 26-33.
- Rahim A (2012). *Uji Aktivitas Antioksidan dengan Metode 1,1-Difenil-2-Pikrilhidrazil (DPPH) dan Uji Terpenoid Terhadap Ekstrak Acanthaster*. Depok, Universitas Indonesia. Skripsi.
- Ramos IM and Bandiola TMB (2017). Phytochemical Screening of *Syzygium Cumini* (Myrtaceae) Leaf Extracts Using Different Solvents of Extraction. *Der Pharmacia Lettre*, 9(2): 74-78.
- Raya M, Ngardita I, Sumardi R (2018). Uji ekstrak daun Jamblang (*Syzygium cumini* L) terhadap penurunan kadar glukosa darah tikus putih jantan yang diinduksi streptozotocin. *Gema Kesehatan*, 1(10).
- Ridwan E (2013). Etika Pemanfaatan Hewan Percobaan dalam Penelitian Kesehatan. *J Indon Med Assoc*, 63(3): 112-116.
- Rini S (2015). Sindrom Metabolik. *J Majority*, 4(4): 88–93.
- Rohadi R, Rahadjo S, Izul FL, Santoso U (2016). Aktivitas Antioksidan Ekstrak Biji Duwet (*Syzygium cumini* Linn.) Pada Peroksidasi Lipida Secara In Vitro. *Jurnal Agritech*, 36(01): 30.
- Rohman MS, Lukitasari M, Nugroho DA, Nashi W, Nugraheini NIP, Sardjono TW (2017). Development of an experimental model of metabolic syndrome in Sprague Dawley rat. *Research Journal of Life Science*, 4(1), 76-86.

- Rosannah AF (2014). *Taksonomi Dan Distribusi Jamblang (Syzygium cumini (L) Skeels) Di Aceh Besar*. Medan, Universitas Sumatera Utara. Tesis.
- Ruiz-Hurtado G and Ruilope LM (2014). Hypertension and obesity: correlates with renin-angiotensin-aldosterone system and uric acid. *J Clin Hypertens* (Greenwich), 16(8): 559-560.
- Sa'adah NN dan Pratiwi R (2016). Profil Lipid dan Indeks Aterogenik Tikus Putih (*Rattus norvegicus* Berkenhout, 1769) Hiperlipidemia dengan Asupan Pelet Nasi dan Bekatul Beras Hitam (*Oryza sativa* L.) Cempo Ireng. *Seminar Nasional Biodiversitas VI*.
- Saag KG and Choi H (2006). Epidemiology, Risk Factors, dan Lifestyle Modifications for Gout. *Arthritis Research & Therapy*. Vol. 8. Suppl 1.
- Sacher RA dan McPherson RA (2004). *Tinjauan Klinis Atas Hasil Pemeriksaan Laboratorium*. Cetakan 1. Jakarta: EGC.
- Sah AK and Verma VK (2011). *Syzygium cumini*: an overview. *Journal of Chemical and Pharmaceutical Research*, 3(3): 108-113.
- Sanches JR, França LM, Chagas VT, Gaspar RS, dos Santos KA, Gonçalves LM, Sloboda DM, *et al.* (2016). Polyphenol-rich extract of *Syzygium cumini* leaf dually improves peripheral insulin sensitivity and pancreatic islet function in monosodium L-glutamate-induced obese rats. *Frontiers in Pharmacology*, 7: 48.
- Sanda A, Mangareni F, Pakasi R (2020). Kadar Asam Urat Berkorelasi dengan Kadar Hemoglobin Terглиkolisasi (HbA1c) Pasien Diabetes Melitus tipe 2. *Cermin Dunia Kedokteran Journal*, 45(6): 405-407.
- Sandra R (2015). Sindrom Metabolik. Artikel Review. *Journal Majority*, 4(4): 88-93.
- Sari AN (2017). Potensi antioksidan alami pada ekstrak daun jamblang (*Syzygium cumini* (L.) skeels). *Jurnal Eksakta*. 18(2): 109–112.
- Setyoningsih R (2009). *Faktor-Faktor yang Berhubungan dengan Kejadian Hiperurisemia pada Pasien Rawat Jalan RSUP Dr. Kariadi Semarang*. Artikel Penelitian. Semarang: Universitas Diponegoro.
- Sharma N, Garg V, Arpita P (2010). Antihyperglycemic, antihyperlipidemic and antioxidative potential of *Prosopis cineraria* bark. *Indian J. Clin. Biochem*, 25(2): 193-200.
- Simao ANC, Lozovoy MAB, Dichi I (2012). The uric acid metabolism pathways as a therapeutic target in hyperuricemia related to metabolic syndrome. *Expert Opin Therapeut Targets*, 16(12):1175-87.

- Sindupriya S, Vijiyasamundeeswari CK, Sudha R, Jones E (2015). Study of Correlation of Body Mass Index with Serum Uric Acid in Young Obese Healthy Adults. *National Journals of Basic Medical Sciences*, 5: 50-52.
- Singh J and Gaffo A (2020). Gout epidemiology and comorbidities. *Seminars in Arthritis and Rheumatism*, 50(3): S11-S16.
- So A and Thorens B (2010). Uric acid transport and disease Find the latest version : Science in medicine Uric acid transport and disease. *The Journal of Clinical Investigation*, 120(6): 1791-1799.
- Soltani Z, Rasheed K, Kapusta D, Reisin E (2013). Potential Role of Uric Acid in Metabolic Syndrome, Hypertension, Kidney Injury, and Cardiovascular Diseases: Is It Time for Reappraisal?. *Current Hypertension Reports*, 15(3): 175-181.
- Soputra EH, Sinulingga S, Subandrate (2018). Hubungan Obesitas Dengan Kadar Asam Urat Darah Pada Mahasiswa Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Sriwijaya. *Sriwijaya Journal of Majority*, 1(3): 193-200.
- Stevani H (2016). *Modul Bahan Ajar Cetak Farmasi Prkatikum Farmakologi*. 1Ed. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Suman RK, Mohanty IR, Borde MK, Maheshwari U, Deshmukh YA (2016). Development of an Experimental Model of Diabetes Co-Existing with Metabolic Syndrome in Rats. *Advances in Pharmacological Sciences*, 2016: 1–11.
- Suryandari N (2017). *Perbedaan Hasil Pemeriksaan Kadar Asam Urat Menggunakan Metode Spektrofotometri dan Metode Strip*. Surakarta, Universitas Setia Budi. Tugas Akhir.
- Syukri M (2007). Asam Urat dan Hiperurisemia. *Majalah Kedokteran Nusantara*, 40(1).
- Szkudelski T (2012). Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental Biology and Medicine*, 237(5): 481–490.
- Tarigan JSBR (2019). *Pemeriksaan Kadar Asam Urat Pada Serum Darah dengan Menggunakan Alat Fotometer*. Medan, Universitas Sumatra Utara. Tugas Akhir.
- Thongnak L, Chatsudthipong V, Kongkaew A, Lungkaphin A (2020). Effects of dapagliflozin and statins attenuate renal injury and liver steatosis in highfat/high-fructose diet-induced insulin resistant rats. *Toxicology and Applied Pharmacology*, 396: 114997.

- Thottam G, Krasnokutsky S, Pillinger M (2017). Gout and Metabolic Syndrome: a Tangled Web. *Current Rheumatology Reports*, 19(10).
- Tomsone L, Kruma Z, Galoburda R (2012). Comparison of different solvents and extraction methods for isolation of phenolic compounds from horseradish roots. *International Scholarly and Scientific Research & Innovation*, 6(4): 1164– 1169.
- Tranchida F, Tchiakpe L, Rakotoniaina Z, Deyris V, Ravion O, Hiol A (2012). Long-term High Fructose and Saturated Fat Diet Affects Plasma Fatty Acid Profile In Rats. *Biomed & Biotechnol*, 13(4): 307- 317.
- Unger R, Clark G, Scherer P, Orci L (2010). Lipid homeostasis, lipotoxicity and the metabolic syndrome. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1801(3): 209-214.
- Verma S, Li SH, Wang CH, Fedak PWM, Li RK, Weisel RD, Mickle DAG (2003). Resistin promotes endothelial cell activation further evidence of adipokine-endothelial interaction. *Circulation*, 108(6): 736-740.
- Wang H, Wang L, Xie R, Dai W, Gao C, Shen P, Huang X, *et al.* (2014). Association of Serum Uric Acid with Body Mass Index: A Cross-Sectional Study from Jiangsu Province, China. *Iran J Public Health*, 43(11): 1503-1509.
- Wei C, Sun C, Wei JC, Tai H, Sun C, Chung C, Chou Y, *et al.* (2014). Association between Hyperuricemia and Metabolik Syndrome: An Epidemiological Study of a Labor Force Population in Taiwan. *BioMed Research International*, 2015: 1-7.
- Wicaksana AR (2016). *Hubungan Indeks Massa Tubuh dengan Kejadian Kolelitiasis di RSUP dr. Mohammad Hoesin Palembang. Program Studi Pendidikan Dokter*. Palembang. Universitas Sriwijaya. 6: 56-61.
- Wong SK, Chin KY, Suhaimi FHJ, Fairus A, Nirwana SI. (2016) . Animal models of metabolik syndrome: A Review, *Journal Nutrition And Metabolism*. 13(1): 1–12.
- Wulansari DD dan Wulandari DD (2018). Pengembangan model hewan coba tikus diabetes mellitus tipe 2 dengan induksi diet tinggi fruktosa intragastrik, *Journal Media Pharmaceutica Indonesiana (Mpi)*, 2(1): 41.
- Yalla MS, Vani T, Pasula S (2014). Serum uric acid in metabolic syndrome. *Internat J Med Sci Publ Health*, 3(5): 578-80.
- Yoeantafara A dan Martini S (2017). Pengaruh Pola Makan Terhadap Kadar Kolesterol Total. *Media Kesehatan Masyarakat Indonesia*, 13(4): 304-309.

Zhu J, Wang Y, Kong L, Yang C, Zhang X (2004). Effects of *Biota orientalis* extract and its flavonoid constituents, quercetin and rutin on serum uric acid levels in oxonate-induced mice and xanthine dehydrogenase and xanthine oxidase activities in mouse liver. *Journal of Ethnopharmacology*, 93(1): 133-140.



