

## DAFTAR PUSTAKA

- [1] Rumaji, A. Adiliya, Port Maritime Connectivity in South-East Indonesia: A New Strategic Positioning for Transhipment Port of Tenau Kupang, *Asian J. Shipp. Logist.* 35 (2019) 172–180. <https://doi.org/10.1016/j.ajsl.2019.12.004>.
- [2] N. Rizal, P. History, S. Model, L.B. Perpendiculars, Resistance Test of Fast Patrol Ships in The Islands of Indonesia, 58 (2018) 6–11.
- [3] A. Dipua, N. Harahap, D. Puspitawati, F. Aminuddin, L. Yudho Prakoso, Sea Defense Strategy the Indonesian Navy in Dealing with the South China Sea Conflict, *Italienisch.* 11 (2021) 120–126.
- [4] R. Sutanto, B. Suseto, I.W. Warka, D. Sianturi, B. Rudiawan, I. Archipelago, S.E.A. Lane, Marine Defense Strategy In Facing the Threat of Transnational Crime In the Indonesian Archipelago Sea Lane I, 11 (2021).
- [5] M. Risahdi, M. Jaddawi, A. Henny, L.Y. Prakoso, Ambiguous Policy on Securing the Vital Objects of The Indonesian Armed Forces in East Java, *Public Policy Adm. Res.* 10 (2020) 52–56. <https://doi.org/10.7176/ppar/10-1-08>.
- [6] A. Lajeunesse, Canada's Arctic Offshore and Patrol Ships (AOPS): Their history and purpose, *Mar. Policy.* 124 (2021) 104323. <https://doi.org/10.1016/j.marpol.2020.104323>.
- [7] F.M. Santos, P. Temarel, C. Guedes Soares, Modal analysis of a fast patrol boat made of composite material, *Ocean Eng.* 36 (2009) 179–192. <https://doi.org/10.1016/j.oceaneng.2008.09.013>.
- [8] A.Z. Ashkezari, M. Moradi, Three-dimensional simulation and evaluation of the hydrodynamic effects of stern wedges on the performance and stability of high-speed planing monohull craft, *Appl. Ocean Res.* 110 (2021) 102585. <https://doi.org/10.1016/j.apor.2021.102585>.
- [9] P. Ruponen, Principles of Ship Buoyancy and Stability, Aalto University publication series Science + Technology, Helsinki, 2021.
- [10] H. Zhu, C. Hu, A unified seakeeping and maneuvering analysis of multiple linked towing system with triangular Bodies, *Ocean Eng.* 222 (2021) 108577. <https://doi.org/10.1016/j.oceaneng.2021.108577>.
- [11] R.B. Luhulima, D. Setyawan, A.P. Utama, Selecting Monohull, Catamaran and Trimaran as Suitable Passenger Vessels Based on Stability and Seakeeping Criteria, *14th Int. Sh. Stab. Work.* 29 (2014) 262–266.
- [12] B. Hamoudi, Dynamic Response of Hull Due to Bottom Slamming and

Deck Wetness, University of Glasgow, 2018.

- [13] J. Montewka, T. Manderbacka, P. Ruponen, M. Tompuri, M. Gil, S. Hirdaris, Accident susceptibility index for a passenger ship—a framework and case study, *Reliab. Eng. Syst. Saf.* 218 (2022) 108145. <https://doi.org/10.1016/j.ress.2021.108145>.
- [14] A. Biran, R. López-Pulido, *Flooding and Damage Condition*, 2014. <https://doi.org/10.1016/b978-0-08-098287-8.00011-6>.
- [15] R.I. Julianto, A.R. Prabowo, N. Muhayat, T. Putranto, R. Adiputra, Investigation of hull design to quantify resistance criteria using holtrop's regression-based method and savitsky's mathematical model: A study case of fishing vessels, *J. Eng. Sci. Technol.* 16 (2021) 1426–1443.
- [16] D.Q. Khai, N.T. Thu Quynh, N. Manh Chien, a Comparison Study on the Resistance Calculation of Planning Boat, *Int. J. Eng. Appl. Sci. Technol.* 5 (2021) 23–26. <https://doi.org/10.33564/ijeast.2021.v05i12.003>.
- [17] D.M. Shin, J. Chung, Application of dead ship condition based on IMO second-generation intact stability criteria for 13K oil chemical tanker, *Ocean Eng.* 238 (2021) 109776. <https://doi.org/10.1016/j.oceaneng.2021.109776>.
- [18] S.M. Wang, S. Ma, W.Y. Duan, Seakeeping optimization of trimaran outrigger layout based on NSGA-II, *Appl. Ocean Res.* 78 (2018) 110–122. <https://doi.org/10.1016/j.apor.2018.06.010>.
- [19] S. Pennino, S. Gaglione, A. Innac, V. Piscopo, A. Scamardella, Development of a new ship adaptive weather routing model based on seakeeping analysis and optimization, *J. Mar. Sci. Eng.* 8 (2020). <https://doi.org/10.3390/JMSE8040270>.
- [20] S. Dhavalikar, P.N. Dabbi, D. Poojari, R. Joga, S. Awasare, Development of Empirical Formulation for Bow Flare Slamming and Deck Wetness for Displacement Vessels, *J. Mar. Sci. Appl.* 17 (2018) 414–431. <https://doi.org/10.1007/s11804-018-0045-1>.
- [21] E. Kałkowska, Floodable length of a bulk carrier., *Sci. Journals Marit. Univ. Szczecin, Zesz. Nauk. Akad. Morskiej w Szczecinie.* 123 (2017) 71–77. <https://doi.org/10.17402/233>.
- [22] P. Pennanen, Application of Vessel TRIAGE for a Damaged Passenger Ship, (2016) 13–15.
- [23] L.D. Davis, Twin Drive Gas Turbines in Single Propulsion Package, *Asme Gt.* (2009) 1–9.
- [24] E. Jadmiko, S. Sunarsih, J. Wulandari, Numerical Analysis of Patrol Boat Performance with a Stern Flap, *Int. J. Mar. Eng. Innov. Res.* 5 (2020). <https://doi.org/10.12962/j25481479.v5i2.5560>.

- [25] D.B. Uhls, Does the Fast Patrol Boat Have a Future In the Navy?, University of Mississippi, 2002.
- [26] S. Aksu, S. Cannon, C. Gardiner, M. Gudze, Hull Material Selection for Replacement Patrol Boats - An Overview, (2002) 1–23. <http://www.dsto.defence.gov.au/corporate/reports/DSTO-TN-0410.pdf>.
- [27] H. Schneekluth, V. Bertram, Ship Design for Efficiency and Economy, (n.d.) 385–396.
- [28] A. Salam, Z.C. Fachrussyah, Tangkap Tradisional Di Teluk Tomini : Technological adaptation and innovation in traditional fishing boat and fishing gear in Tomini Gulf, 12 (2021) 101–111.
- [29] M.R. Davis, D.S. Holloway, A comparison of the motions of trimarans, catamarans and monohulls, Aust. J. Mech. Eng. 4 (2007) 183–195. <https://doi.org/10.1080/14484846.2007.11464525>.
- [30] R. Ilham, A.F. Zakki, D. Chrismianto, Studi Perancangan Fish Processing Vessel dengan Bentuk Lambung Catamaran untuk Perairan Indonesia, Tek. Perkapalan. 7. No.4 (2019) 449–459.
- [31] A. Nazemian, P. Ghadimi, Shape optimisation of trimaran ship hull using CFD-based simulation and adjoint solver, Ships Offshore Struct. 17 (2022) 359–373. <https://doi.org/10.1080/17445302.2020.1827807>.
- [32] W. Sulistyawati, P.J. Suranto, Perancangan Rc (Remote Control) Boat Patrol 80 Cm Dengan Propulsi Waterjet, Bina Tek. 12 (2017) 41. <https://doi.org/10.54378/bt.v12i1.88>.
- [33] S.H.E. Aji Luhur P. M., Amiruddin Wilma., Analisis Perbedaan Performa Pada Kapal Ikan Dengan Mengubah Bentuk Monohull Menjadi Katamaran, J. Tek. Perkapalan. 5 (2017) 113–119.
- [34] A.R. Prabowo, E. Martono, T. Muttaqie, T. Tuswan, D.M. Bae, Effect of Hull Design Variations on the Resistance Profile and Wave Pattern: A Case Study of the Patrol Boat Vessel, J. Eng. Sci. Technol. 17 (2022) 106–126.
- [35] R.A. Febrianto, A.R. Prabowo, S.J. Baek, R. Adiputra, Analysis of Monohull Design Characteristics as Supporting Vessel for the COVID-19 Medical Treatment and Logistic, Transp. Res. Procedia. 55 (2021) 699–706. <https://doi.org/10.1016/j.trpro.2021.07.038>.
- [36] A. Sh Gotman, D. Tech Sci, professor Gotman ASH, Study Of Michell’s Integral And Influence Of Viscosity And Ship Hull Form On Wave Resistance, Ocean. Eng. Int. 6 (2002) 74–115.
- [37] S. Brizzolara, Parametric Optimization of SWAT-Hull Forms by a Viscous-Inviscid Free Surface Method Driven by a Differential Evolution Algorithm, Design. (2004) 8–13.
- [38] I.K.A.P. Utama, Investigation of the Viscous Resistance Components

of Catamaran Forms, (1999).

- [39] Edward V. Lewis, Principles of Naval Architecture, second revision, 1988. [https://ftp.idu.ac.id/wp-content/uploads/ebook/tdg/ADVANCED MILITARY PLATFORM DESIGN/Principles of Naval Architecture \(Second Revision\), Volume II.pdf](https://ftp.idu.ac.id/wp-content/uploads/ebook/tdg/ADVANCED MILITARY PLATFORM DESIGN/Principles of Naval Architecture (Second Revision), Volume II.pdf).
- [40] A. Hermawan, E. Afiato, Analisis Angkutan Sedimen Dasar (Bed Load) Pada Saluran Irigasi Mataram Yogyakarta, Teknisia. XXVI (2021). <https://doi.org/10.20885/teknisia.vol26.iss1.art3>.
- [41] H. Wu, J. He, H. Liang, F. Noblesse, Influence of Froude number and submergence depth on wave patterns, Eur. J. Mech. B/Fluids. 75 (2019) 258–270. <https://doi.org/10.1016/j.euromechflu.2018.10.018>.
- [42] A. Lawther, M.J. Griffin, Motion sickness and motion characteristics of vessels at sea, 31 (1998) 1373–1394.
- [43] H. Sun, O.M. Faltinsen, Numerical study of planing vessels in waves, J. Hydrodyn. 22 (2010) 468–475. [https://doi.org/10.1016/S1001-6058\(09\)60238-9](https://doi.org/10.1016/S1001-6058(09)60238-9).
- [44] M.P. Dewanagara, Analisis Perbandingan Kinerja Rudder Single Plate Kapal Spob. Adeline 01 Dan Rudder Fishtail Dengan Menggunakan Metode Computational Fluid Dynamic, Institut Teknologi Kalimantan, 2021.
- [45] N. Rott, Note on the History of the Reynolds Number, Annu. Rev. Fluid Mech. 22 (1990) 1–12. <https://doi.org/10.1146/annurev.fl.22.010190.000245>.
- [46] M.S. Tarafder, A.R. Saaki, Computation of resistance of high speed planing craft using Savitsky's theory, AIP Conf. Proc. 1980 (2018). <https://doi.org/10.1063/1.5044316>.
- [47] B. Adrian, P. Ruben Lopez, Ship Hydrostatics and Stability Second Edition Rubén López-Pulido, 2013.
- [48] I. Bačkalov, G. Bulian, A. Rosén, V. Shigunov, N. Themelis, Improvement of ship stability and safety in intact condition through operational measures: Challenges and opportunities, Ocean Eng. 120 (2016) 353–361. <https://doi.org/10.1016/j.oceaneng.2016.02.011>.
- [49] P. Krata, The Impact of Sloshing Liquids on Ship Stability for Various Dimensions of Partly Filled Tanks, TransNav, Int. J. Mar. Navig. Saf. Sea Transp. 7 (2013) 481–489. <https://doi.org/10.12716/1001.07.04.02>.
- [50] P. Ruponen, T. Manderbacka, D. Lindroth, On the calculation of the righting lever curve for a damaged ship, Ocean Eng. 149 (2018) 313–324. <https://doi.org/10.1016/j.oceaneng.2017.12.036>.
- [51] E. Masoudi, Second Generation IMO Intact Stability Vulnerability Criteria and its Application to ships Navigating in Persian Gulf and

- Oman Sea, *Int. J. Marit. Technol.* 7 (2017) 39–48.  
<https://doi.org/10.18869/acadpub.ijmt.7.39>.
- [52] A. Sülüs, H. Akyildiz, İ.T. Üniversitesi, G. İnşaatı Ve Deniz, B. Fakültesi, Analysis of Second Generation Intact Stability Criteria 17 Analysis of Second Generation Intact Stability Criteria, (2020) 17–30.
- [53] L. Huang, X. Deng, Y.C. Bo, Y. Zhang, P. Wang, Evolutionary optimization assisted delayed deep cycle reservoir modeling method with its application to ship heave motion prediction, *ISA Trans.* 126 (2021) 638–648. <https://doi.org/10.1016/j.isatra.2021.08.020>.
- [54] L. Dostal, E. Kreuzer, Assessment of extreme rolling of ships in random seas, *Proc. Int. Conf. Offshore Mech. Arct. Eng. - OMAE.* 7 (2014). <https://doi.org/10.1115/OMAE2014-23458>.
- [55] R.M. Hutauruk, P. Rengi, Respons Gerakan kapal Perikanan Hasil Optimisasi Terhadap Gelombang, *J. Perikan. Dan Kelaut.* 19 (2014) 13–22.
- [56] S.K. Ueng, D. Lin, C.H. Liu, A ship motion simulation system, *Virtual Real.* 12 (2008) 65–76. <https://doi.org/10.1007/s10055-008-0088-8>.
- [57] J.C. Yin, Z.J. Zou, F. Xu, On-line prediction of ship roll motion during maneuvering using sequential learning RBF neural networks, *Ocean Eng.* 61 (2013) 139–147. <https://doi.org/10.1016/j.oceaneng.2013.01.005>.
- [58] I. Ibinabo, D.T. Tamunodukobipi, Determination of the Response Amplitude Operator(s) of an FPSO, *Engineering.* 11 (2019) 541–556. <https://doi.org/10.4236/eng.2019.119038>.
- [59] S. Bielicki, A. Bednarek, OMAE2017-62555 Evaluation of Response Amplitude Operator of Ship Roll Motions, (2017) 1–9.
- [60] K. Sariöz, E. Narli, Effect of criteria on seakeeping performance assessment, *Ocean Eng.* 32 (2005) 1161–1173. <https://doi.org/10.1016/j.oceaneng.2004.12.006>.
- [61] J. Aranda, J.M. de la Cruz, J.M. Díaz, Design of a multivariable robust controller to decrease the motion sickness incidence in fast ferries, *Control Eng. Pract.* 13 (2005) 985–999. <https://doi.org/10.1016/j.conengprac.2004.11.003>.
- [62] V.M. Nguyen, M. Jeon, H.K. Yoon, Study on the optimal weather routing of a ship considering parametric rolling, slamming and deck wetness, *PRADS 2016 - Proc. 13th Int. Symp. Pract. Des. Ships Other Float. Struct.* (2016).
- [63] A. Santoso, A. Baidowi, M. Siahaan, Analysis of the Effect of Sloshing on Damage Stability after the Addition of LNG Tanks, *Int. J. Mar. Eng. Innov. Res.* 5 (2020) 164–171. <https://doi.org/10.12962/j25481479.v5i3.4775>.

- [64] N. Samson, F.C. Feniobu, O.C. Whizfreeman, Damage Stability Behavior Analysis of a Cruise Liner Using Computer-Aided Design (CAD), *Int. J. Mar. Eng. Innov. Res.* 6 (2021). <https://doi.org/10.12962/j25481479.v6i4.9757>.
- [65] P.I. Pratama<sup>1)</sup>, D. Chrismianto<sup>1)</sup>, Kiryanto<sup>1)</sup>, Kajian Teknis Stabilitas (Intact & Damage) Dan Olah Gerak Kapal Penangkap Ikan Tradisional Berbasis Peraturan International Code on Intact Stability 2008, *Lab. Komput. Dan Desain Kapal Dep. Tek. Perkapalan, Fak. Tek. Univ. Diponegoro.* 7 (2019) 371–379.

